

Welded Ornamental Tube

Types: Bright, Satin, Duplex
Grades: 304, 316, SAF 2205
Finishes: 320, 600 Grit

Unit of Supply: 6m lengths
Certification: Acc. to ASTM A554-10



Welded Ornamental Tube ASTM A554 G304 and G316L

- 320G polished "Satin/Brushed" finish
- 600G polished "Bright/Mirror" finish
- ASTM A554: For structural and ornamental purposes only (not suitable for hygienic, fluid transfer or pressure critical applications)
- Other options in size, grade or condition available on request

SAF 2205 Tubing, Welded, Annealed, Pickled (not polished) - ASTM A789 Bead Rolled

HTSW Bright 600G

Product Code	Grade	Finish	Product Size (mm)	Description	Weight ea (kg)	kg/m
HTSW012015G304P600BR+0600	G304	600G	12.70 x 1.5mm (1/2")	BRIGHT TUBE 600GRIT G304 ASTM A554	2.66	0.44
HTSW015015G304P600BR+0600	G304	600G	15.88 x 1.5mm (5/8")	BRIGHT TUBE 600GRIT G304 ASTM A554	3.42	0.57
HTSW019015G304P600BR+0600	G304	600G	19.05 x 1.5mm (3/4")	BRIGHT TUBE 600GRIT G304 ASTM A554	4.17	0.70
HTSW022015G304P600BR+0600	G304	600G	22.22 x 1.5mm (7/8")	BRIGHT TUBE 600GRIT G304 ASTM A554	4.93	0.82
HTSW025415G304P600BR+0600	G304	600G	25.40 x 1.5mm (1")	BRIGHT TUBE 600GRIT G304 ASTM A554	5.69	0.95
HTSW031815G304P600BR+0600	G304	600G	31.80 x 1.5mm (1-1/4")	BRIGHT TUBE 600GRIT G304 ASTM A554	7.20	1.20
HTSW038115G304P600BR+0600	G304	600G	38.10 x 1.5mm (1-1/2")	BRIGHT TUBE 600GRIT G304 ASTM A554	8.73	1.45
HTSW044515G304P600BR+0600	G304	600G	44.45 x 1.5mm (1-3/4")	BRIGHT TUBE 600GRIT G304 ASTM A554	10.25	1.71
HTSW044520G304P600BR+0600	G304	600G	44.45 x 2.0mm (1-3/4")	BRIGHT TUBE 600GRIT G304 ASTM A554	12.69	2.12
HTSW050815G304P600BR+0600	G304	600G	50.80 x 1.5mm (2")	BRIGHT TUBE 600GRIT G304 ASTM A554	11.77	1.96
HTSW050820G304P600BR+0600	G304	600G	50.80 x 2.0mm (2")	BRIGHT TUBE 600GRIT G304 ASTM A554	14.59	2.43
HTSW050830G304P600BR+0600	G304	600G	50.80 x 3.0mm (2")	BRIGHT TUBE 600GRIT G304 ASTM A554	22.80	3.80
HTSW063515G304P600BR+0600	G304	600G	63.50 x 1.5mm (2-1/2")	BRIGHT TUBE 600GRIT G304 ASTM A554	14.80	2.47
HTSW015915G316P600BR+0600	G316	600G	15.88 x 1.5mm (5/8")	BRIGHT TUBE 600GRIT G316 ASTM A554	3.42	0.57
HTSW019015G316P600BR+0600	G316	600G	19.05 x 1.5mm (3/4")	BRIGHT TUBE 600GRIT G316 ASTM A554	4.17	0.70
HTSW022215G316P600BR+0600	G316	600G	22.22 x 1.5mm (7/8")	BRIGHT TUBE 600GRIT G316 ASTM A554	4.92	0.82
HTSW025415G316P600BR+0600	G316	600G	25.40 x 1.5mm (1")	BRIGHT TUBE 600GRIT G316 ASTM A554	5.69	0.95
HTSW031815G316P600BR+0600	G316	600G	31.80 x 1.5mm (1-1/4")	BRIGHT TUBE 600GRIT G316 ASTM A554	7.21	1.20
HTSW038115G316P600BR+0600	G316	600G	38.10 x 1.5mm (1-1/2")	BRIGHT TUBE 600GRIT G316 ASTM A554	8.73	1.45
HTSW038120G316P600BR+0600	G316	600G	38.10 x 2.0mm (1-1/2")	BRIGHT TUBE 600GRIT G316 ASTM A554	10.50	1.75
HTSW038130G316P600BR+0600	G316	600G	38.10 x 3.0mm (1-1/2")	BRIGHT TUBE 600GRIT G316 ASTM A554	18.00	3.00
HTSW044515G316P600BR+0600	G316	600G	44.45 x 1.5mm (1-3/4")	BRIGHT TUBE 600GRIT G316 ASTM A554	10.24	1.71
HTSW050815G316P600BR+0600	G316	600G	50.80 x 1.5mm (2")	BRIGHT TUBE 600GRIT G316 ASTM A554	11.77	1.96
HTSW050820G316P600BR+0600	G316	600G	50.80 x 2.0mm (2")	BRIGHT TUBE 600GRIT G316 ASTM A554	14.59	2.43
HTSW050830G316P600BR+0600	G316	600G	50.80 x 3.0mm (2")	BRIGHT TUBE 600GRIT G316 ASTM A554	22.80	3.80
HTSW063515G316P600BR+0600	G316	600G	63.50 x 1.5mm (2-1/2")	BRIGHT TUBE 600GRIT G316 ASTM A554	14.82	2.47
HTSW076215G316P600BR+0600	G316	600G	76.20 x 1.5mm (3")	BRIGHT TUBE 600GRIT G316 ASTM A554	17.82	2.97
HTSW101615G316P600BR+0600	G316	600G	101.6 x 1.5mm (4")	BRIGHT TUBE 600GRIT G316 ASTM A554	23.94	3.99
HTSW10162G316P600BR+0600	G316	600G	101.6 x 2.0mm (4")	BRIGHT TUBE 600GRIT G316 ASTM A554	29.96	4.99
HTSW152420G316P600BR+0600	G316	600G	152.4 x 2.0mm (6")	BRIGHT TUBE 600GRIT G316 ASTM A554	45.12	7.52

Welded Ornamental Tube

Types: Bright, Satin, Duplex
Grades: 304, 316, SAF 2205
Finishes: 320 Grit

Unit of Supply: 6m lengths
Certification: Acc. to ASTM A554-10



HTSW Satin 320G

Product Code	Grade	Finish	Product Size (mm)	Description	Weight ea (kg)	kg/m
HTSW012709G304P320+0600	G304	320G	12.70 x 0.9mm (1/2")	SATIN TUBE 320GRIT G304 ASTM A554	1.59	0.27
HTSW012015G304P320+0600	G304	320G	12.70 x 1.5mm (1/2")	SATIN TUBE 320GRIT G304 ASTM A554	2.64	0.44
HTSW015915G304P320+0600	G304	320G	15.88 x 1.5mm (5/8")	SATIN TUBE 320GRIT G304 ASTM A554	3.42	0.57
HTSW019015G304P320+0600	G304	320G	19.05 x 1.5mm (3/4")	SATIN TUBE 320GRIT G304 ASTM A554	4.20	0.70
HTSW022215G304P320+0600	G304	320G	22.22 x 1.5mm (7/8")	SATIN TUBE 320GRIT G304 ASTM A554	4.92	0.82
HTSW025415G304P320+0600	G304	320G	25.40 x 1.5mm (1")	SATIN TUBE 320GRIT G304 ASTM A554	5.70	0.95
HTSW031812G304P320+0600	G304	320G	31.80 x 1.20mm (1-1/4")	SATIN TUBE 320GRIT G304 ASTM A554	4.73	0.79
HTSW031815G304P320+0600	G304	320G	31.80 x 1.5mm (1-1/4")	SATIN TUBE 320GRIT G304 ASTM A554	7.26	1.20
HTSW038115G304P320+0600	G304	320G	38.10 x 1.5mm (1-1/2")	SATIN TUBE 320GRIT G304 ASTM A554	8.70	1.50
HTSW038120G304P320+0600	G304	320G	38.10 x 2.0mm (1-1/2")	SATIN TUBE 320GRIT G304 ASTM A554	10.50	1.75
HTSW044515G304P320+0600	G304	320G	44.45 x 1.5mm (1-3/4")	SATIN TUBE 320GRIT G304 ASTM A554	10.26	1.71
HTSW050815G304P320+0600	G304	320G	50.80 x 1.5mm (2")	SATIN TUBE 320GRIT G304 ASTM A554	11.76	1.96
HTSW050820G304P320+0600	G304	320G	50.80 x 2.0mm (2")	SATIN TUBE 320GRIT G304 ASTM A554	14.59	2.43
HTSW063515G304P320+0600	G304	320G	63.50 x 1.5mm (2-1/2")	SATIN TUBE 320GRIT G304 ASTM A554	14.82	2.47
HTSW076215G304P320+0600	G304	320G	76.20 x 1.5mm (3")	SATIN TUBE 320GRIT G304 ASTM A554	17.82	2.97
HTSW101615G304P320+0600	G304	320G	101.6 x 1.5mm (4")	SATIN TUBE 320GRIT G304 ASTM A554	23.94	3.99
HTSW101620G304P320+0600	G304	320G	101.6 x 2.0mm (4")	SATIN TUBE 320GRIT G304 ASTM A554	29.76	4.96
HTSW152420G304P320+0600	G304	320G	152.4 x 2.0mm (6")	SATIN TUBE 320GRIT G304 ASTM A554	45.12	7.52
HTSW012715G316P320+0600	G316	320G	12.70 x 1.5mm (1/2")	SATIN TUBE 320GRIT G316 ASTM A554	2.64	0.44
HTSW015915G316P320+0600	G316	320G	15.88 x 1.5mm (5/8")	SATIN TUBE 320GRIT G316 ASTM A554	3.42	0.57
HTSW019015G316P320+0600	G316	320G	19.05 x 1.5mm (3/4")	SATIN TUBE 320GRIT G316 ASTM A554	4.20	0.70
HTSW025412G316P320+0600	G316	320G	25.40 x 1.2mm (1")	SATIN TUBE 320GRIT G316 ASTM A554	4.30	0.72
HTSW025415G316P320+0600	G316	320G	25.40 x 1.5mm (1")	SATIN TUBE 320GRIT G316 ASTM A554	5.70	0.95
HTSW031815G316P320+0600	G316	320G	31.80 x 1.5mm (1-1/4")	SATIN TUBE 320GRIT G316 ASTM A554	7.20	1.20
HTSW038120G316P320+0600	G316	320G	38.10 x 2.0mm (1-1/2")	SATIN TUBE 320GRIT G316 ASTM A554	9.00	1.50
HTSW044515G316P320+0600	G316	320G	44.45 x 1.5mm (1-3/4")	SATIN TUBE 320GRIT G316 ASTM A554	10.26	1.71
HTSW044520G316P320+0600	G316	320G	44.45 x 2.0mm (1-3/4")	SATIN TUBE 320GRIT G316 ASTM A554	12.00	2.00
HTSW050815G316P320+0600	G316	320G	50.80 x 1.5mm (2")	SATIN TUBE 320GRIT G316 ASTM A554	11.76	1.96
HTSW050820G316P320+0600	G316	320G	50.80 x 2.0mm (2")	SATIN TUBE 320GRIT G316 ASTM A554	14.59	2.43
HTSW050830G316P320+0600	G316	320G	50.80 x 3.0mm (2")	SATIN TUBE 320GRIT G316 ASTM A554	22.80	3.80
HTSW063515G316P320+0600	G316	320G	63.50 x 1.5mm (2-1/2")	SATIN TUBE 320GRIT G316 ASTM A554	14.82	2.47
HTSW076215G316P320+0600	G316	320G	76.20 x 1.5mm (3")	SATIN TUBE 320GRIT G316 ASTM A554	17.82	2.97
HTSW101615G316P320+0600	G316	320G	101.6 x 1.5mm (4")	SATIN TUBE 320GRIT G316 ASTM A554	23.94	3.99
HTSW152420G316P320+0600	G316	320G	152.4 x 2.0mm (6")	SATIN TUBE 320GRIT G316 ASTM A554	45.12	7.52

HTSW Duplex

Product Code	Grade	Finish	Product Size (mm)	Description	Weight ea (kg)	kg/m
HTSW025416G2205+0600	SAF 2205		25.40 x 1.6mm (1")	WELDED DUPLEX TUBE G2205	5.70	0.95
HTSW038116G2205+0600	SAF 2205		38.10 x 1.6mm (1-1/2")	WELDED DUPLEX TUBE G2205	8.76	1.46
HTSW050816G2205+0600	SAF 2205		50.80 x 1.6mm (2")	WELDED DUPLEX TUBE G2205	15.00	1.96
HTSW063520G2205+0600	SAF 2205		63.50 x 2.0mm (2-1/2")	WELDED DUPLEX TUBE G2205	14.82	2.47
HTSW076220G2205+0600	SAF 2205		76.20 x 2.0mm (3")	WELDED DUPLEX TUBE G2205	23.10	3.85
HTSW101620G2205+0600	SAF 2205		101.6 x 2.0mm (4")	WELDED DUPLEX TUBE G2205	24.00	4.96

Food Quality Tube

Types: Imported, NZ Made

Grades: 304, 316L

Finishes: 320 grit polished external finish (AWBP)

Unit of Supply: 6m lengths
(other lengths available on request)

Certification: Acc. to AS 1528.1
(as welded and buff polished)

Generally suitable for use in New Zealand food quality applications
Internal weld bead controlled



HTSD Imported

Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)	kg/m
HTSD009509G304+0600	G304	9.53 x 0.9mm (3/8")	IMPORTED DAIRY TUBE G304 AS1528.1	1.14	0.19
HTSD009512G304+0600	G304	9.53 x 1.2mm (3/8")	IMPORTED DAIRY TUBE G304 AS1528.1	1.50	0.25
HTSD012709G304+0600N	G304	12.70 x 0.9mm (1/2")	IMPORTED DAIRY TUBE G304 AS1528.1	1.59	0.26
HTSD012712G304+0600	G304	12.70 x 1.2mm (1/2")	IMPORTED DAIRY TUBE G304 AS1528.1	2.06	0.34
HTSD012716G304+0600	G304	12.70 x 1.6mm (1/2")	IMPORTED DAIRY TUBE G304 AS1528.1	2.66	0.44
HTSD015912G304+0600	G304	15.88 x 1.2mm (5/8")	IMPORTED DAIRY TUBE G304 AS1528.1	2.63	0.44
HTSD015916G304+0600	G304	15.88 x 1.6mm (5/8")	IMPORTED DAIRY TUBE G304 AS1528.1	3.42	0.57
HTSD019012G304+0600	G304	19.05 x 1.2mm (3/4")	IMPORTED DAIRY TUBE G304 AS1528.1	3.20	0.53
HTSD019116G304+0600N	G304	19.05 x 1.6mm (3/4")	IMPORTED DAIRY TUBE G304 AS1528.1	4.17	0.70
HTSD025412G304+0600	G304	25.40 x 1.2mm (1")	IMPORTED DAIRY TUBE G304 AS1528.1	4.34	0.72
HTSD025416G304+0600	G304	25.40 x 1.6mm (1")	IMPORTED DAIRY TUBE G304 AS1528.1	6.48	1.08
HTSD031812G304+0600	G304	31.80 x 1.2mm (1-1/4")	IMPORTED DAIRY TUBE G304 AS1528.1	5.48	0.91
HTSD031816G304+0600	G304	31.80 x 1.6mm (1-1/4")	IMPORTED DAIRY TUBE G304 AS1528.1	7.35	1.23
HTSD038112G304+0600	G304	38.10 x 1.2mm (1-1/2")	IMPORTED DAIRY TUBE G304 AS1528.1	6.62	1.10
HTSD038116G304+0600	G304	38.10 x 1.6mm (1-1/2")	IMPORTED DAIRY TUBE G304 AS1528.1	8.88	1.48
HTSD044516G304+0600	G304	44.45 x 1.6mm (1-3/4")	IMPORTED DAIRY TUBE G304 AS1528.1	10.20	1.70
HTSD050812G304+0600	G304	50.80 x 1.2mm (2")	IMPORTED DAIRY TUBE G304 AS1528.1	8.90	1.48
HTSD050816G304+0600	G304	50.80 x 1.6mm (2")	IMPORTED DAIRY TUBE G304 AS1528.1	11.76	1.96
HTSD063512G304+0600	G304	63.50 x 1.2mm (2-1/2")	IMPORTED DAIRY TUBE G304 AS1528.1	11.17	1.86
HTSD063516G304+0600	G304	63.50 x 1.6mm (2-1/2")	IMPORTED DAIRY TUBE G304 AS1528.1	14.82	2.47
HTSD076216G304+0600	G304	76.20 x 1.6mm (3")	IMPORTED DAIRY TUBE G304 AS1528.1	18.47	3.08
HTSD101616G304+0600	G304	101.6 x 1.6mm (4")	IMPORTED DAIRY TUBE G304 AS1528.1	24.76	4.13
HTSD101620G304+0600	G304	101.6 x 2.0mm (4")	IMPORTED DAIRY TUBE G304 AS1528.1	29.76	4.96
HTSD152420G304+0600	G304	152.4 x 2.0mm (6")	IMPORTED DAIRY TUBE G304 AS1528.1	45.00	7.50
HTSD203220G304+0600	G304	203.2 x 2.0mm (8")	IMPORTED DAIRY TUBE G304 AS1528.1	72.00	12.00
HTSD012716G316+0600	G316L	12.70 x 1.6mm (1/2")	IMPORTED DAIRY TUBE G316L AS1528.1	2.64	0.44
HTSD015916G316+0600	G316L	15.88 x 1.6mm (5/8")	IMPORTED DAIRY TUBE G316L AS1528.1	3.42	0.57
HTSD019116G316+0600N	G316L	19.05 x 1.6mm (3/4")	IMPORTED DAIRY TUBE G316L AS1528.1	4.20	0.79
HTSD025416G316+0600	G316L	25.40 x 1.6mm (1")	IMPORTED DAIRY TUBE G316L AS1528.1	6.48	1.08
HTSD031816G316+0600	G316L	31.80 x 1.6mm (1-1/4")	IMPORTED DAIRY TUBE G316L AS1528.1	7.35	1.23
HTSD038116G316+0600	G316L	38.10 x 1.6mm (1-1/2")	IMPORTED DAIRY TUBE G316L AS1528.1	8.88	1.48
HTSD044516G316+0600	G316L	44.45 x 1.6mm (1-3/4")	IMPORTED DAIRY TUBE G316L AS1528.1	10.20	1.70
HTSD050816G316+0600	G316L	50.80 x 1.6mm (2")	IMPORTED DAIRY TUBE G316L AS1528.1	11.76	1.96
HTSD063516G316+0600	G316L	63.50 x 1.6mm (2-1/2")	IMPORTED DAIRY TUBE G316L AS1528.1	14.82	2.47
HTSD076216G316+0600	G316L	76.20 x 1.6mm (3")	IMPORTED DAIRY TUBE G316L AS1528.1	18.47	3.08
HTSD101616G316+0600	G316L	101.6 x 1.6mm (4")	IMPORTED DAIRY TUBE G316L AS1528.1	24.76	4.13
HTSD152420G316+0600	G316L	152.4 x 2.0mm (6")	IMPORTED DAIRY TUBE G316L AS1528.1	45.00	7.50
HTSD203220G316+0600	G316L	203.2 x 2.0mm (8")	IMPORTED DAIRY TUBE G316L AS1528.1	72.00	12.00

Food Quality Tube

Types: Imported, NZ Made

Grades: 304, 316L

Finishes: 320 grit polished external finish (AWBP)

Unit of Supply: 6m lengths
(other lengths available on request)

Certification: Acc. to AS 1528.1
(as welded and buff polished)

Generally suitable for use in New Zealand food quality applications
Internal weld bead controlled



HTSD NZ Made

Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)	kg/m
HTSD009509G304NZ+0600	G304	9.53 x 0.9mm (3/8")	NZ DAIRY TUBE G304 AS1528.1	1.14	0.19
HTSD009512G304NZ+0600	G304	9.53 x 1.2mm (3/8")	NZ DAIRY TUBE G304 AS1528.1	1.50	0.25
HTSD012709G304NZ+0600	G304	12.70 x 0.9mm (1/2")	NZ DAIRY TUBE G304 AS1528.1	0.60	0.10
HTSD012709G304NZAW+0600	G304	12.70 x 0.9mm (1/2")	NZ DAIRY TUBE G304 AS WELDED	1.59	0.27
HTSD012712G304NZ+0600	G304	12.70 x 1.2mm (1/2")	NZ DAIRY TUBE G304 AS1528.1	2.06	0.34
HTSD012716G304NZ+0600	G304	12.70 x 1.6mm (1/2")	NZ DAIRY TUBE G304 AS1528.1	2.66	0.44
HTSD015909G304NZAW+0600	G304	15.88 x 0.9mm (5/8")	NZ DAIRY TUBE G304 AS WELDED	2.02	0.34
HTSD015912G304NZ+0600	G304	15.88 x 1.2mm (5/8")	NZ DAIRY TUBE G304 AS1528.1	2.63	0.44
HTSD015916G304NZ+0600	G304	15.88 x 1.6mm (5/8")	NZ DAIRY TUBE G304 AS1528.1	3.42	0.57
HTSD019009G304NZ+0600	G304	19.05 x 0.9mm (3/4")	NZ DAIRY TUBE G304 AS1528.1	2.70	0.45
HTSD019012G304NZ+0600	G304	19.05 x 1.2mm (3/4")	NZ DAIRY TUBE G304 AS1528.1	3.20	0.53
HTSD019116G304NZ+0600	G304	19.05 x 1.6mm (3/4")	NZ DAIRY TUBE G304 AS1528.1	4.73	0.79
HTSD022212G304NZ+0600	G304	22.22 x 1.2mm (7/8")	NZ DAIRY TUBE G304 AS1528.1	3.77	0.63
HTSD022216G304NZ+0600	G304	22.22 x 1.6mm (7/8")	NZ DAIRY TUBE G304 AS1528.1	4.92	0.82
HTSD025412G304NZ+0600	G304	25.40 x 1.2mm (1")	NZ DAIRY TUBE G304 AS1528.1	4.34	0.72
HTSD025416G304NZ+0600	G304	25.40 x 1.6mm (1")	NZ DAIRY TUBE G304 AS1528.1	6.48	1.08
HTSD031812G304NZ+0600	G304	31.80 x 1.2mm (1-1/4")	NZ DAIRY TUBE G304 AS1528.1	5.48	0.91
HTSD031816G304NZ+0600	G304	31.80 x 1.6mm (1-1/4")	NZ DAIRY TUBE G304 AS1528.1	7.35	1.23
HTSD038112G304NZ+0600	G304	38.10 x 1.2mm (1-1/2")	NZ DAIRY TUBE G304 AS1528.1	6.62	1.10
HTSD038116G304NZ+0600	G304	38.10 x 1.6mm (1-1/2")	NZ DAIRY TUBE G304 AS1528.1	8.88	1.48
HTSD044516G304NZ+0600	G304	44.45 x 1.6mm (1-3/4")	NZ DAIRY TUBE G304 AS1528.1	8.70	1.45
HTSD050812G304NZ+0600	G304	50.80 x 1.2mm (2")	NZ DAIRY TUBE G304 AS1528.1	8.90	1.48
HTSD050816G304NZ+0600	G304	50.80 x 1.6mm (2")	NZ DAIRY TUBE G304 AS1528.1	11.76	1.96
HTSD063512G304NZ+0600	G304	63.50 x 1.2mm (2-1/2")	NZ DAIRY TUBE G304 AS1528.1	11.18	1.86
HTSD063516G304NZ+0600	G304	63.50 x 1.6mm (2-1/2")	NZ DAIRY TUBE G304 AS1528.1	14.82	2.47
HTSD076216G304NZ+0600	G304	76.20 x 1.6mm (3")	NZ DAIRY TUBE G304 AS1528.1	18.47	3.08
HTSD101616G304NZ+0600	G304	101.6 x 1.6mm (4")	NZ DAIRY TUBE G304 AS1528.1	24.76	4.13
HTSD127016G304NZ+0600	G304	127.0 x 1.6mm (5")	NZ DAIRY TUBE G304 AS1528.1	29.70	4.95
HTSD127020G304NZ+0600	G304	127.0 x 2.0mm (5")	NZ DAIRY TUBE G304 AS1528.1	36.97	6.16
HTSD152416G304NZ+0600	G304	152.4 x 1.6mm (6")	NZ DAIRY TUBE G304 AS1528.1	45.00	7.50
HTSD152420G304NZ+0600	G304	152.4 x 2.0mm (6")	NZ DAIRY TUBE G304 AS1528.1	45.00	7.50
HTSD203220G304NZ+0600	G304	203.2 x 2.0mm (8")	NZ DAIRY TUBE G304 AS1528.1	71.99	12.00
HTSD012716G316NZ+0600	G316L	12.70 x 1.6mm (1/2")	NZ DAIRY TUBE G316L AS1528.1	2.64	0.44
HTSD015912G316NZ+0600	G316L	15.88 x 1.2mm (5/8")	NZ DAIRY TUBE G316L AS1528.1	2.63	0.44
HTSD015916G316NZ+0600	G316L	15.88 x 1.6mm (5/8")	NZ DAIRY TUBE G316L AS1528.1	3.42	0.57
HTSD019116G316NZ+0600	G316L	19.05 x 1.6mm (3/4")	NZ DAIRY TUBE G316L AS1528.1	4.73	0.79
HTSD022216G316NZ+0600	G316L	22.22 x 1.6mm (7/8")	NZ DAIRY TUBE G316L AS1528.1	4.92	0.82
HTSD025416G316NZ+0600	G316L	25.40 x 1.6mm (1")	NZ DAIRY TUBE G316L AS1528.1	6.48	1.08
HTSD031816G316NZ+0600	G316L	31.80 x 1.6mm (1-1/4")	NZ DAIRY TUBE G316L AS1528.1	7.35	1.23
HTSD038116G316NZ+0600	G316L	38.10 x 1.6mm (1-1/2")	NZ DAIRY TUBE G316L AS1528.1	8.88	1.48
HTSD044516G316NZ+0600	G316L	44.45 x 1.6mm (1-3/4")	NZ DAIRY TUBE G316L AS1528.1	8.70	1.45
HTSD050816G316NZ+0600	G316L	50.80 x 1.6mm (2")	NZ DAIRY TUBE G316L AS1528.1	11.76	1.93
HTSD063516G316NZ+0600	G316L	63.50 x 1.6mm (2-1/2")	NZ DAIRY TUBE G316L AS1528.1	14.82	2.47
HTSD076216G316NZ+0600	G316L	76.20 x 1.6mm (3")	NZ DAIRY TUBE G316L AS1528.1	18.47	3.08

Food Quality Tube

Types: Imported, NZ Made

Grades: 304, 316L

Finishes: 320 grit polished external finish (AWBP)

Unit of Supply: 6m lengths
(other lengths available on request)

Certification: Acc. to AS 1528.1
(as welded and buff polished)

Generally suitable for use in New Zealand food quality applications
Internal weld bead controlled



HTSD NZ Made

Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)	kg/m
HTSD101616G316NZ+0600	G316L	101.6 x 1.6mm (4")	NZ DAIRY TUBE G316L AS1528.1	24.76	4.13
HTSD127016G316NZ+0600	G316L	127.0 x 1.6mm (5")	NZ DAIRY TUBE G316L AS1528.1	29.70	4.95
HTSD152416G316NZ+0600	G316L	152.4 x 1.6mm (6")	NZ DAIRY TUBE G316L AS1528.1	45.00	7.50
HTSD152420G316NZ+0600	G316L	152.4 x 2.0mm (6")	NZ DAIRY TUBE G316L AS1528.1	45.00	7.50
HTSD203220G316NZ+0600	G316L	203.2 x 2.0mm (8")	NZ DAIRY TUBE G316L AS1528.1	72.00	12.00

Spiral Welded Tube

Grades: 304L, 316L

Unit of Supply: 6m lengths, pickled and passivated.
Stock held on-site ex. Auckland, with local production available.



HTSP

Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)	kg/m
HTSP1270ID20G304L+0600	G304L	127.0 (5") ID x 2.0mm	SPIRAWELD TUBE G304L	38.40	6.40
HTSP1270ID30G304L+0600	G304L	127.0 (5") ID x 3.0mm	SPIRAWELD TUBE G304L	58.80	9.80
HTSP129020G304L+0600	G304L	129.0 OD x 2.0mm	SPIRAWELD TUBE G304L	38.40	6.40
HTSP1524ID20G304L+0600	G304L	152.4 (6") ID x 2.0mm	SPIRAWELD TUBE G304L	45.00	7.50
HTSP1524ID30G304L+0600	G304L	152.4 (6") ID x 3.0mm	SPIRAWELD TUBE G304L	70.20	11.70
HTSP2032ID20G304L+0600	G304L	203.2 (8") ID x 2.0mm	SPIRAWELD TUBE G304L	60.00	10.00
HTSP2032ID30G304L+0600	G304L	203.2 (8") ID x 3.0mm	SPIRAWELD TUBE G304L	93.60	15.60
HTSP2540ID20G304L+0600	G304L	254.0 (10") ID x 2.0mm	SPIRAWELD TUBE G304L	76.80	12.80
HTSP2540ID30G304L+0600	G304L	254.0 (10") ID x 3.0mm	SPIRAWELD TUBE G304L	117.00	19.50
HTSP3048ID20G304L+0600	G304L	304.8 (12") ID x 2.0mm	SPIRAWELD TUBE G304L	92.40	15.40
HTSP3048ID30G304L+0600	G304L	304.8 (12") ID x 3.0mm	SPIRAWELD TUBE G304L	140.40	23.40
HTSP3556ID20G304L+0600	G304L	355.6 (14") ID x 2.0mm	SPIRAWELD TUBE G304L	106.80	17.80
HTSP3556ID30G304L+0600	G304L	355.6 (14") ID x 3.0mm	SPIRAWELD TUBE G304L	163.80	27.30
HTSP4064ID20G304L+0600	G304L	406.4 (16") ID x 2.0mm	SPIRAWELD TUBE G304L	124.80	20.80
HTSP4064ID30G304L+0600	G304L	406.4 (16") ID x 3.0mm	SPIRAWELD TUBE G304L	187.20	31.20
HTSP4572ID20G304L+0600	G304L	457.2 (18") ID x 2.0mm	SPIRAWELD TUBE G304L	138.60	23.10
HTSP4572ID30G304L+0600	G304L	457.2 (18") ID x 3.0mm	SPIRAWELD TUBE G304L	210.60	35.10
HTSP5080ID20G304L+0600	G304L	508.0 (20") ID x 2.0mm	SPIRAWELD TUBE G304L	150.00	25.00
HTSP5080ID30G304L+0600	G304L	508.0 (20") ID x 3.0mm	SPIRAWELD TUBE G304L	234.00	39.00
HTSP1270ID20G316L+0600	G316L	127.0 (5") ID x 2.0mm	SPIRAWELD TUBE G316L	38.40	6.40
HTSP1270ID30G316L+0600	G316L	127.0 (5") ID x 3.0mm	SPIRAWELD TUBE G316L	58.80	9.80
HTSP1524ID20G316L+0600	G316L	152.4 (6") ID x 2.0mm	SPIRAWELD TUBE G316L	45.00	7.50
HTSP2032ID20G316L+0600	G316L	203.2 (8") ID x 2.0mm	SPIRAWELD TUBE G316L	60.00	10.00
HTSP2032ID30G316L+0600	G316L	203.2 (8") ID x 3.0mm	SPIRAWELD TUBE G316L	93.60	15.60
HTSP2540ID20G316L+0600	G316L	254.0 (10") ID x 2.0mm	SPIRAWELD TUBE G316L	76.80	12.80
HTSP2540ID30G316L+0600	G316L	254.0 (10") ID x 3.0mm	SPIRAWELD TUBE G316L	117.00	19.50
HTSP3048ID20G316L+0600	G316L	304.8 (12") ID x 2.0mm	SPIRAWELD TUBE G316L	92.40	15.40
HTSP3048ID30G316L+0600	G316L	304.8 (12") ID x 3.0mm	SPIRAWELD TUBE G316L	140.40	23.40
HTSP3556ID20G316L+0600	G316L	355.6 (14") ID x 2.0mm	SPIRAWELD TUBE G316L	106.80	17.80
HTSP3556ID30G316L+0600	G316L	355.6 (14") ID x 3.0mm	SPIRAWELD TUBE G316L	163.80	27.30
HTSP4064ID20G316L+0600	G316L	406.4 (16") ID x 2.0mm	SPIRAWELD TUBE G316L	124.80	20.80
HTSP4064ID30G316L+0600	G316L	406.4 (16") ID x 3.0mm	SPIRAWELD TUBE G316L	187.20	31.20
HTSP4572ID20G316L+0600	G316L	457.2 (18") ID x 2.0mm	SPIRAWELD TUBE G316L	138.60	23.10
HTSP4572ID30G316L+0600	G316L	457.2 (18") ID x 3.0mm	SPIRAWELD TUBE G316L	210.60	35.10
HTSP5080ID20G316L+0600	G316L	508.0 (20") ID x 2.0mm	SPIRAWELD TUBE G316L	150.00	25.00
HTSP5080ID30G316L+0600	G316L	508.0 (20") ID x 3.0mm	SPIRAWELD TUBE G316L	234.00	39.00

Available ID/OD or NB dimensions.