


Square Hollow



R = Radiused Corner
 P = Ext Periphery
 F = Full Radius

**Blue = Mill run only.
 Non stocked item.**


Minimum order 250kg.

[Contact your local branch to enquire.](#)

Diagrams are schematic only and not intended as specification drawings.

| Die No. | A | B | C | D | R1 | R2 | R3 | kg/m | P |
|----------------|--------------|-------------|---|---|-------------|------|----|--------------|------------|
| UA 1206 | 12.00 | 1.60 | | | | | | 0.180 | 48 |
| UA 2095 | 12.60 | 1.50 | | | | | | 0.181 | so |
| UA 1662 | 16.00 | 1.50 | | | | | | 0.235 | 64 |
| UA 1869 | 19.00 | 1.50 | | | 2.00 | 0.50 | | 0.275 | 73 |
| UA 1810 | 19.09 | 1.20 | | | | | | 0.233 | 76 |
| UA 1207 | 20.00 | 1.60 | | | 1.00 | | | 0.317 | 78 |
| UA 5861 | 20.00 | 3.00 | | | 3.00 | 3.00 | | 0.551 | 75 |
| UA 1050 | 25.00 | 1.40 | | | | | | 0.358 | 100 |
| UA 1650 | 25.00 | 1.40 | | | 1.60 | 1.00 | | 0.355 | 98 |
| UA 1765 | 25.00 | 1.60 | | | 1.00 | | | 0.402 | 99 |
| UA 1210 | 25.00 | 1.80 | | | | | | 0.452 | 100 |
| UA 1912 | 25.00 | 1.80 | | | 2.40 | | | 0.438 | 96 |
| UA 2170 | 25.00 | 3.00 | | | | | | 0.713 | 100 |
| UA 4661 | 25.00 | 3.00 | | | 3.00 | 3.00 | | 0.713 | 95 |
| UA 1546 | 25.00 | 4.50 | | | | | | 0.996 | 100 |
| UA 2467 | 25.00 | 5.00 | | | 2.50 | | | 1.066 | 96 |
| UA 1642 | 25.40 | 1.20 | | | | | | 0.313 | 102 |
| UA 1205 | 30.00 | 1.60 | | | | | | 0.493 | 120 |
| UA 5815 | 32.00 | 1.80 | | | 3.80 | 2.00 | | 0.563 | 122 |
| UA 2006 | 32.00 | 2.00 | | | | | | 0.648 | 128 |
| UA 5904 | 32.00 | 3.00 | | | 3.00 | | | 0.919 | 123 |
| UA 2971 | 32.00 | 3.60 | | | | | | 1.108 | 128 |
| UA 4078 | 35.00 | 2.00 | | | | | | 0.713 | 140 |
| UA 2487 | 35.00 | 4.50 | | | 0.50 | 0.50 | | 1.482 | 140 |
| UA 7170 | 38.00 | 1.60 | | | 2.00 | | | 0.620 | 149 |
| UA 1764 | 40.00 | 1.80 | | | 1.00 | | | 0.743 | 159 |
| UA 1211 | 40.00 | 2.00 | | | | | | 0.821 | 155 |
| UA 1212 | 40.00 | 2.00 | | | 2.40 | | | 0.807 | 156 |
| UA 6578 | 40.00 | 3.00 | | | 0.50 | 0.50 | | 1.199 | 160 |
| UA 4062 | 40.00 | 3.00 | | | 3.00 | | | 1.178 | 155 |
| UA 4662 | 40.00 | 3.00 | | | 3.00 | 2.00 | | 1.187 | 155 |
| UA 2808 | 40.00 | 4.00 | | | | | | 1.561 | 160 |
| UA 6249 | 40.00 | 4.00 | | | 3.00 | | | 1.534 | 155 |
| UA 2466 | 40.00 | 5.00 | | | 2.50 | | | 1.876 | 156 |
| UA 1049 | 45.00 | 2.00 | | | | | | 0.929 | 180 |
| UA 1208 | 50.00 | 1.60 | | | 1.00 | | | 0.834 | 199 |
| UA 2949 | 50.00 | 2.00 | | | | | | 1.037 | 200 |

Square Hollow (Continued)



R = Radiused Corner
 P = Ext Periphery
 F = Full Radius

**Blue = Mill run only.
 Non stocked item.**


Minimum order 250kg.

**Contact your local
 branch to enquire.**

*Diagrams are schematic
 only and not intended as
 specification drawings.*

| Die No. | A | B | C | D | R1 | R2 | R3 | kg/m | P |
|----------------|---------------|-------------|---|---|-------------|-------------|----|--------------|------------|
| UA 3298 | 50.00 | 2.00 | | | 4.00 | 2.00 | | 1.009 | 194 |
| UA 1214 | 50.00 | 3.00 | | | | | | 1.523 | 200 |
| UA 4663 | 50.00 | 3.00 | | | 3.00 | 3.00 | | 1.523 | 195 |
| UA 3178 | 50.00 | 3.00 | | | 4.00 | 1.00 | | 1.488 | 194 |
| UA 2809 | 50.00 | 4.00 | | | | | | 1.994 | 200 |
| UA 3068 | 50.00 | 5.00 | | | 4.00 | 4.00 | | 2.439 | 194 |
| UA 3346 | 60.00 | 3.00 | | | | | | 1.847 | 240 |
| UA 4076 | 63.20 | 6.30 | | | 0.50 | 0.50 | | 3.871 | 252 |
| UA 4664 | 65.00 | 3.00 | | | 5.00 | 5.00 | | 2.009 | 252 |
| UA 1215 | 75.00 | 3.00 | | | | | | 2.341 | 300 |
| UA 4832 | 75.00 | 3.00 | | | 4.45 | 6.30 | | 2.379 | 293 |
| UA 1547 | 75.00 | 4.50 | | | | | | 3.696 | 300 |
| UA 6933 | 75.00 | 5.00 | | | 6.00 | 1.00 | | 3.699 | 290 |
| UA 4075 | 76.00 | 6.30 | | | 0.50 | 0.50 | | 4.742 | 304 |
| UA 1213 | 100.00 | 3.00 | | | | | | 3.143 | 400 |
| UA 3350 | 100.00 | 3.50 | | | 5.00 | 1.50 | | 3.595 | 392 |
| UA 4627 | 100.00 | 4.00 | | | 4.60 | | | 4.099 | 393 |
| UA 3825 | 100.00 | 4.50 | | | | | | 4.641 | 400 |
| UA 4302 | 100.00 | 5.00 | | | 0.50 | 0.50 | | 5.130 | 400 |
| UA 5721 | 100.00 | 6.00 | | | 12.00 | 6.00 | | 5.841 | 380 |
| UA 7525 | 150.00 | 3.00 | | | 3.00 | 1.60 | | 4.748 | 595 |

Rectangular Hollow



R = Radiused Corner
 P = Ext Periphery
 F = Full Radius

**Blue = Mill run only.
 Non stocked item.**


Minimum order 250kg.

**Contact your local
 branch to enquire.**

*Diagrams are schematic
 only and not intended as
 specification drawings.*

| Die No. | A | B | C | D | R1 | R2 | R3 | kg/m | P |
|----------------|--------------|--------------|-------------|---|--------------|-------------|----|--------------|------------|
| UA 7454 | 30.00 | 10.00 | 1.60 | | | | | 0.318 | 80 |
| UA 4981 | 38.00 | 25.00 | 1.60 | | 1.00 | | | 0.514 | 125 |
| UA 3619 | 38.00 | 25.00 | 2.00 | | 1.00 | | | 0.635 | 125 |
| UA 5051 | 40.00 | 14.90 | 3.00 | | 2.50 | 0.50 | | 0.778 | 106 |
| UA 1988 | 40.00 | 20.00 | 1.60 | | | | | 0.491 | 120 |
| UA 5489 | 40.00 | 20.00 | 1.60 | | 1.80 | | | 0.483 | 117 |
| UA 2811 | 40.00 | 20.00 | 3.00 | | | | | 0.875 | 120 |
| UA 3361 | 40.00 | 25.00 | 1.60 | | | | | 0.534 | 130 |
| UA 1979 | 40.00 | 25.00 | 2.00 | | | | | 0.659 | 130 |
| UA 2944 | 40.00 | 25.00 | 3.00 | | | | | 0.959 | 130 |
| UA 2806 | 40.00 | 30.00 | 2.50 | | | | | 0.877 | 140 |
| UA 4772 | 50.00 | 25.00 | 1.60 | | 1.60 | | | 0.614 | 148 |
| UA 1197 | 50.00 | 25.00 | 2.50 | | | | | 0.948 | 150 |
| UA 2945 | 50.00 | 25.00 | 3.00 | | | | | 1.122 | 150 |
| UA 4635 | 50.00 | 25.00 | 3.00 | | 4.00 | 1.00 | | 1.083 | 144 |
| UA 3067 | 50.00 | 25.00 | 5.00 | | 4.00 | 4.00 | | 1.762 | 144 |
| UA 2654 | 50.00 | 30.00 | 2.00 | | | | | 0.824 | 160 |
| UA 2461 | 50.00 | 38.00 | 2.00 | | 3.00 | 1.00 | | 0.889 | 171 |
| UA 1200 | 50.00 | 40.00 | 3.00 | | | | | 1.361 | 180 |
| UA 4721 | 50.00 | 40.00 | 3.00 | | 10.00 | 7.00 | | 1.243 | 163 |
| UA 2810 | 50.00 | 40.00 | 4.00 | | | | | 1.771 | 180 |
| UA 3066 | 60.00 | 25.00 | 5.00 | | 4.00 | 4.00 | | 2.033 | 164 |
| UA 3069 | 60.00 | 35.00 | 5.00 | | 4.00 | 4.00 | | 2.295 | 184 |
| UA 3344 | 60.00 | 40.00 | 3.00 | | | | | 1.523 | 200 |
| UA 5169 | 65.00 | 50.00 | 2.50 | | 4.00 | 1.50 | | 1.453 | 224 |
| UA 2486 | 65.00 | 50.00 | 3.00 | | 0.50 | 1.00 | | 1.770 | 230 |
| UA 4849 | 75.00 | 25.00 | 1.60 | | | | | 0.836 | 200 |
| UA 7117 | 75.00 | 25.00 | 2.20 | | 1.00 | | | 1.133 | 199 |
| UA 1537 | 75.00 | 40.00 | 2.00 | | | | | 1.199 | 230 |
| UA 7714 | 75.00 | 40.00 | 3.00 | | 3.00 | 0.50 | | 1.746 | 225 |
| UA 1204 | 75.00 | 40.00 | 6.00 | | | | | 3.350 | 230 |
| UA 1536 | 75.00 | 45.00 | 2.00 | | | | | 1.253 | 240 |
| UA 5362 | 75.00 | 45.00 | 3.00 | | 6.00 | 0.50 | | 1.784 | 230 |

Rectangular Hollow (Continued)



R = Radiused Corner
 P = Ext Periphery
 F = Full Radius

**Blue = Mill run only.
 Non stocked item.**

Minimum order 250kg.

Contact your local branch to enquire.

Diagrams are schematic only and not intended as specification drawings.

| Die No. | A | B | C | D | R1 | R2 | R3 | kg/m | P |
|----------------|---------------|--------------|-------------|---|--------------|-------------|----|--------------|------------|
| UA 2946 | 75.00 | 50.00 | 3.00 | | | | | 1.935 | 250 |
| UA 4833 | 75.00 | 50.00 | 3.00 | | 4.45 | 6.30 | | 1.974 | 243 |
| UA 2106 | 75.00 | 50.00 | 4.00 | | 2.00 | 0.80 | | 2.529 | 247 |
| UA 3045 | 75.00 | 50.00 | 6.00 | | 0.50 | | | 3.661 | 250 |
| UA 7169 | 76.00 | 38.00 | 3.00 | | 0.50 | 0.50 | | 1.750 | 228 |
| UA 5242 | 80.00 | 40.00 | 3.00 | | 2.50 | 2.50 | | 1.847 | 236 |
| UA 3585 | 80.00 | 40.00 | 4.00 | | | | | 2.419 | 240 |
| UA 6837 | 80.00 | 50.00 | 3.00 | | 0.80 | | | 2.007 | 259 |
| UA 3299 | 80.00 | 50.00 | 3.00 | | 4.00 | 1.00 | | 1.974 | 254 |
| UA 3586 | 80.00 | 60.00 | 4.00 | | | | | 2.851 | 280 |
| UA 1198 | 100.00 | 25.00 | 2.00 | | | | | 1.312 | 250 |
| UA 7672 | 100.00 | 25.00 | 2.00 | | 1.00 | | | 1.304 | 249 |
| UA 5720 | 100.00 | 25.00 | 2.50 | | 0.50 | 0.50 | | 1.620 | 250 |
| UA 1201 | 100.00 | 45.00 | 3.00 | | | | | 2.260 | 290 |
| UA 3546 | 100.00 | 50.00 | 2.00 | | | | | 1.577 | 300 |
| UA 1202 | 100.00 | 50.00 | 3.00 | | | | | 2.333 | 300 |
| UA 4477 | 100.00 | 50.00 | 3.00 | | 4.60 | 1.60 | | 2.290 | 293 |
| UA 4743 | 100.00 | 50.00 | 3.50 | | 6.00 | 2.50 | | 2.634 | 290 |
| UA 2807 | 100.00 | 50.00 | 4.00 | | | | | 3.067 | 300 |
| UA 4631 | 100.00 | 50.00 | 4.00 | | 6.00 | 2.00 | | 2.993 | 290 |
| UA 1923 | 100.00 | 50.00 | 6.00 | | 4.60 | | | 4.422 | 293 |
| UA 3300 | 100.00 | 75.00 | 2.50 | | 4.00 | 1.50 | | 2.262 | 344 |
| UA 1203 | 100.00 | 75.00 | 3.00 | | | | | 2.748 | 350 |
| UA 3419 | 120.00 | 60.00 | 3.00 | | | | | 2.819 | 360 |
| UA 1199 | 125.00 | 50.00 | 3.00 | | | | | 2.738 | 350 |
| UA 4628 | 125.00 | 50.00 | 4.00 | | 6.00 | 2.00 | | 3.533 | 340 |
| UA 4629 | 125.00 | 50.00 | 6.00 | | 8.00 | 2.00 | | 5.142 | 337 |
| UA 4316 | 150.00 | 50.00 | 3.00 | | 5.00 | 2.00 | | 3.094 | 392 |
| UA 2030 | 150.00 | 50.00 | 4.00 | | | | | 4.147 | 400 |
| UA 3660 | 150.00 | 50.00 | 5.00 | | 10.00 | 5.00 | | 4.956 | 383 |
| UA 4630 | 150.00 | 50.00 | 6.00 | | 8.00 | 2.00 | | 5.952 | 387 |
| UA 4755 | 152.00 | 76.00 | 6.00 | | 6.00 | 2.00 | | 6.95 | 446 |
| UA 5453 | 152.40 | 76.20 | 4.00 | | 4.50 | 0.50 | | 4.719 | 450 |
| UA 6250 | 200.00 | 50.00 | 3.50 | | 1.50 | | | 4.587 | 498 |