


Equal Angle



R = Radiused Corner
 P = Ext Periphery
 F = Full Radius

**Blue = Mill run only.
 Non stocked item.**

Minimum order 250kg.


**Contact your local
 branch to enquire.**

*Diagrams are schematic
 only and not intended as
 specification drawings.*

*Radius abbreviated with
 (-), contact your local
 branch for specifications.*

| Die No. | A | B | C | D | R1 | R2 | R3 | kg/m | P |
|----------------|--------------|---|-------------|-------------|------|-------------|-------------|--------------|------------|
| UA 2071 | 10.00 | | 1.60 | | | | | 0.080 | 40 |
| UA 1090 | 12.00 | | 1.60 | | | | | 0.097 | 48 |
| UA 1097 | 12.00 | | 3.00 | | | | | 0.170 | 48 |
| UA 1091 | 15.00 | | 1.60 | | | | | 0.123 | 60 |
| UA 1092 | 20.00 | | 1.60 | | | | | 0.166 | 80 |
| UA 1101 | 20.00 | | 3.00 | | | | | 0.299 | 80 |
| UA 1094 | 25.00 | | 1.60 | | | | | 0.210 | 100 |
| UA 1103 | 25.00 | | 3.00 | | | | | 0.382 | 100 |
| UA 1113 | 25.00 | | 4.50 | | | | | 0.555 | 100 |
| UA 1121 | 25.00 | | 6.00 | | | | | 0.715 | 100 |
| UA 1096 | 30.00 | | 1.60 | | | | | 0.253 | 120 |
| UA 1105 | 30.00 | | 3.00 | | | | | 0.463 | 120 |
| UA 1612 | 30.00 | | 4.50 | | | | | 0.677 | 120 |
| UA 1532 | 30.00 | | 6.00 | | | | | 0.875 | 120 |
| UA 2503 | 30.00 | | 6.00 | 3.00 | | 1.50 | F | 0.850 | 113 |
| UA 5854 | 32.00 | | 3.00 | 0.50 | | 0.50 | 0.50 | 0.494 | 127 |
| UA 2812 | 35.00 | | 4.50 | | | | | 0.799 | 140 |
| UA 1099 | 40.00 | | 1.60 | | | | | 0.340 | 160 |
| UA 1107 | 40.00 | | 3.00 | | | | | 0.626 | 160 |
| UA 1114 | 40.00 | | 4.50 | | | | | 0.920 | 160 |
| UA 1122 | 40.00 | | 6.00 | | | | | 1.203 | 160 |
| UA 2502 | 40.00 | | 6.00 | 3.00 | | 1.50 | F | 1.178 | 153 |
| UA 1100 | 50.00 | | 1.60 | | | | | 0.426 | 200 |
| UA 2714 | 50.00 | | 2.00 | | | | | 0.531 | 200 |
| UA 1110 | 50.00 | | 3.00 | | | | | 0.785 | 200 |
| UA 3089 | 50.00 | | 4.00 | 0.50 | | 0.50 | 0.50 | 1.036 | 199 |
| UA 1116 | 50.00 | | 4.50 | | | | | 1.160 | 200 |
| UA 1123 | 50.00 | | 6.00 | | | | | 1.523 | 200 |
| UA 5279 | 50.00 | | 6.00 | 0.50 | | 6.00 | 0.50 | 1.543 | 197 |
| UA 1129 | 50.00 | | 9.00 | | | | | 2.219 | 200 |
| UA 1711 | 60.00 | | 6.00 | | | | | 1.853 | 240 |
| UA 1124 | 65.00 | | 6.00 | | | | | 2.016 | 260 |
| UA 2167 | 75.00 | | 3.00 | | | | | 1.195 | 300 |
| UA 1526 | 75.00 | | 4.50 | | | | | 1.768 | 300 |
| UA 1126 | 75.00 | | 6.00 | | | | | 2.341 | 300 |
| UA 1527 | 75.00 | | 9.00 | | | | | 3.426 | 300 |
| UA 1712 | 80.00 | | 6.00 | | | | | 2.504 | 320 |
| UA 1127 | 90.00 | | 6.00 | | | | | 2.829 | 360 |
| UA 1118 | 100.00 | | 6.00 | | | | | 3.143 | 400 |
| UA 10581 | 100.00 | | 10.00 | | 0.80 | 0.50 | 0.80 | 5.128 | 399 |

Unequal Angle



R = Radiused Corner
 P = Ext Periphery
 F = Full Radius

**Blue = Mill run only.
 Non stocked item.**

Minimum order 250kg.


Contact your local branch to enquire.

Diagrams are schematic only and not intended as specification drawings.

Radius abbreviated with (-), contact your local branch for specifications.

| Die No. | A | B | C | D | R1 | R2 | R3 | kg/m | P |
|----------------|--------------|--------------|-------------|---|-------------|------|-------------|--------------|------------|
| UA 1533 | 19.05 | 9.53 | 1.59 | | | | | 0.116 | 57 |
| UA 1731 | 20.00 | 12.00 | 1.60 | | | | | 0.131 | 64 |
| UA 1102 | 22.00 | 12.00 | 3.00 | | | | | 0.252 | 68 |
| UA 1534 | 22.23 | 9.53 | 1.59 | | | | | 0.130 | 64 |
| UA 1093 | 25.00 | 12.00 | 1.60 | | | | | 0.153 | 74 |
| UA 1535 | 25.00 | 12.00 | 3.00 | | | | | 0.276 | 74 |
| UA 1857 | 25.00 | 19.00 | 1.20 | | | | | 0.138 | 88 |
| UA 1732 | 25.00 | 20.00 | 1.60 | | | | | 0.187 | 90 |
| UA 1529 | 25.00 | 20.00 | 3.00 | | | | | 0.340 | 90 |
| UA 1530 | 30.00 | 20.00 | 1.60 | | | | | 0.209 | 100 |
| UA 1104 | 30.00 | 20.00 | 3.00 | | | | | 0.382 | 100 |
| UA 1095 | 30.00 | 25.00 | 1.60 | | | | | 0.231 | 110 |
| UA 1531 | 30.00 | 25.00 | 2.50 | | | | | 0.354 | 110 |
| UA 2943 | 32.00 | 20.00 | 1.60 | | | | | 0.218 | 104 |
| UA 1524 | 38.00 | 25.00 | 3.00 | | | | | 0.488 | 126 |
| UA 1651 | 40.00 | 12.00 | 1.60 | | | | | 0.218 | 104 |
| UA 4556 | 40.00 | 12.00 | 3.00 | | | | | 0.397 | 104 |
| UA 1098 | 40.00 | 20.00 | 1.60 | | | | | 0.253 | 120 |
| UA 4493 | 40.00 | 20.00 | 3.00 | | | | | 0.461 | 120 |
| UA 2295 | 40.00 | 20.00 | 4.00 | | 0.50 | | 0.50 | 0.604 | 119 |
| UA 1068 | 40.00 | 25.00 | 1.60 | | | | | 0.275 | 130 |
| UA 1106 | 40.00 | 25.00 | 3.00 | | | | | 0.504 | 130 |
| UA 2599 | 42.00 | 25.00 | 2.00 | | | | | 0.351 | 134 |
| UA 1926 | 50.00 | 20.00 | 1.60 | | | | | 0.295 | 140 |
| UA 1108 | 50.00 | 20.00 | 3.00 | | | | | 0.544 | 140 |
| UA 2848 | 50.00 | 25.00 | 1.60 | | | | | 0.318 | 150 |
| UA 1109 | 50.00 | 25.00 | 3.00 | | | | | 0.585 | 150 |
| UA 1974 | 50.00 | 30.00 | 1.60 | | | | | 0.349 | 160 |
| UA 1115 | 50.00 | 40.00 | 4.50 | | | | | 1.042 | 180 |
| UA 2378 | 60.00 | 30.00 | 6.00 | | | | | 1.361 | 180 |
| UA 3031 | 60.00 | 30.00 | 6.00 | | 3.00 | 1.50 | F | 1.336 | 173 |
| UA 1111 | 65.00 | 25.00 | 3.00 | | | | | 0.707 | 180 |
| UA 2776 | 70.00 | 25.00 | 2.00 | | | | | 0.504 | 190 |
| UA 1112 | 75.00 | 25.00 | 3.00 | | | | | 0.788 | 200 |
| UA 3785 | 75.00 | 25.00 | 6.00 | | 0.50 | | 0.50 | 1.522 | 199 |
| UA 3504 | 75.00 | 30.00 | 4.50 | | 0.50 | | 0.50 | 1.220 | 209 |

Unequal Angle (Continued)



R = Radiused Corner
 P = Ext Periphery
 F = Full Radius

**Blue = Mill run only.
 Non stocked item.**

Minimum order 250kg.

Contact your local branch to enquire.

Diagrams are schematic only and not intended as specification drawings.

Radius abbreviated with (-), contact your local branch for specifications.

| Die No. | A | B | C | D | R1 | R2 | R3 | kg/m | P |
|----------------|---------------|--------------|-------------|---|--------------|-------------|-------------|--------------|------------|
| UA 1525 | 75.00 | 50.00 | 3.00 | | | | | 0.988 | 250 |
| UA 1117 | 75.00 | 50.00 | 4.50 | | | | | 1.469 | 250 |
| UA 1125 | 75.00 | 50.00 | 6.00 | | | | | 1.935 | 250 |
| UA 3100 | 85.00 | 20.00 | 3.00 | | | | | 0.826 | 210 |
| UA 1614 | 90.00 | 60.00 | 6.00 | | | | | 2.341 | 300 |
| UA 1615 | 90.00 | 65.00 | 6.00 | | | | | 2.422 | 310 |
| UA 3870 | 100.00 | 25.00 | 3.00 | | | | | 0.988 | 250 |
| UA 2078 | 100.00 | 50.00 | 2.00 | | | | | 0.802 | 300 |
| UA 2048 | 100.00 | 50.00 | 3.00 | | | | | 1.195 | 300 |
| UA 2805 | 100.00 | 50.00 | 4.50 | | | | | 1.774 | 300 |
| UA 1119 | 100.00 | 50.00 | 6.00 | | | | | 2.333 | 300 |
| UA 3537 | 100.00 | 75.00 | 6.00 | | 11.00 | 5.00 | F | 3.606 | 338 |
| UA 3861 | 100.00 | 75.00 | 8.00 | | 0.50 | | 0.50 | 5.281 | 347 |
| UA 1528 | 100.00 | 75.00 | 12.00 | | | | | 4.398 | 350 |
| UA 5335 | 115.00 | 75.00 | 9.00 | | | | | 4.398 | 380 |
| UA 2984 | 125.00 | 40.00 | 6.00 | | | | | 2.585 | 330 |
| UA 4589 | 130.00 | 54.00 | 2.00 | | | | | 0.983 | 368 |
| UA 9156 | 150.00 | 50.00 | 6.00 | | 0.50 | 0.50 | 0.50 | 3.142 | 399 |
| UA 6468 | 150.00 | 75.00 | 3.00 | | 0.50 | 0.50 | 0.50 | 1.798 | 449 |
| UA 1120 | 150.00 | 75.00 | 6.00 | | | | | 3.548 | 450 |
| UA 1128 | 150.00 | 75.00 | 9.00 | | | | | 5.268 | 450 |