


Coil

Grades: 304, 304L, 316, 316L, 430, 2205, LDX2101, 5CR12, 253MA
Finishes: 2B, 2E, BA, No. 1, No. 4
Unit of Supply: Kg

Certification: Acc. to ASTM A240/A480



CSS

Product Code	Grade	Finish	Product Size (mm)	Description
G304 - 2B				
CSS055G3042B+915	G304	2B	0.55mm x 915	COIL G304 2B ASTM A240/A480
CSS055G3042B+1219	G304	2B	0.55mm x 1219	COIL G304 2B ASTM A240/A480
CSS070G3042B+1219	G304	2B	0.70mm x 1219	COIL G304 2B ASTM A240/A480
CSS090G3042B+1219	G304	2B	0.90mm x 1219	COIL G304 2B ASTM A240/A480
CSS120G3042B+1219	G304	2B	1.20mm x 1219	COIL G304 2B ASTM A240/A480
CSS150G3042B+1219	G304	2B	1.50mm x 1219	COIL G304 2B ASTM A240/A480
CSS150G3042B+1500	G304	2B	1.50mm x 1500	COIL G304 2B ASTM A240/A480
CSS150G3042BP+1500	G304	2B/PE	1.50mm x 1500	COIL G304 2B ASTM A240/A480
CSS200G3042B+1219	G304	2B	2.00mm x 1219	COIL G304L 2B ASTM A240/A480
CSS200G3042B+1500	G304	2B	2.00mm x 1500	COIL G304 2B ASTM A240/A480
CSS200G3042B+2000	G304	2B	2.00mm x 2000	COIL G304 2B ASTM A240/A480
CSS250G3042B+1219	G304	2B	2.50mm x 1219	COIL G304L 2B ASTM A240/A480
CSS250G3042B+1500	G304	2B	2.50mm x 1500	COIL G304 2B ASTM A240/A480
CSS300G3042B+915	G304	2B	3.00mm x 915	COIL G304 2B ASTM A240/A480
CSS300G3042B+1219	G304	2B	3.00mm x 1219	COIL G304L 2B ASTM A240/A480
CSS300G3042B+1500	G304	2B	3.00mm x 1500	COIL G304 2B ASTM A240/A480
CSS300G3042B+2000	G304	2B	3.00mm x 2000	COIL G304 2B ASTM A240/A480
CSS400G3042B+1219	G304	2B	4.00mm x 1219	COIL G304 2B ASTM A240/A480
CSS400G3042B+1500	G304	2B	4.00mm x 1500	COIL G304 2B ASTM A240/A480
CSS400G3042B+2000	G304	2B	4.00mm x 2000	COIL G304 2B ASTM A240/A480
CSS005G3042B+1219	G304	2B	5.00mm x 1219	COIL G304 2B ASTM A240/A480
CSS005G3042B+1500	G304	2B	5.00mm x 1500	COIL G304 2B ASTM A240/A480
CSS005G3042B+2000	G304	2B	5.00mm x 2000	COIL G304 2B ASTM A240/A480
CSS006G3042B+1219	G304	2B	6.00mm x 1219	COIL G304 2B ASTM A240/A480
CSS006G3042B+1500	G304	2B	6.00mm x 1500	COIL G304 2B ASTM A240/A480
CSS006G3042B+2000	G304	2B	6.00mm x 2000	COIL G304 2B ASTM A240/A480
CSS090G3042BP+1219	G304	2B FLPE	0.90mm x 1219	COIL G304 2B LPE ASTM A240/A480
CSS090G3042BP+1500	G304	2B FLPE	0.90mm x 1500	COIL G304 2B LPE ASTM A240/A480
CSS120G3042BP+915	G304	2B FLPE	1.20mm x 915	COIL G304 2B LPE ASTM A240/A480
CSS120G3042BP+1219	G304	2B FLPE	1.20mm x 1219	COIL G304 2B LPE ASTM A240/A480
CSS120G3042BP+1500	G304	2B FLPE	1.20mm x 1500	COIL G304 2B LPE ASTM A240/A480
CSS120G3042BP+1524	G304	2B FLPE	1.20mm x 1524	COIL G304 2B LPE ASTM A240/A480
CSS150G3042BP+1219	G304	2B FLPE	1.50mm x 1219	COIL G304 2B LPE ASTM A240/A480
CSS150G3042BP+1500	G304	2B FLPE	1.50mm x 1500	COIL G304 2B LPE ASTM A240/A480
CSS200G3042BP+1219	G304L	2B FLPE	2.00mm x 1219	COIL G304L 2B LPE ASTM A240/A480
CSS200G3042BP+1500	G304L	2B FLPE	2.00mm x 1500	COIL G304L 2B LPE ASTM A240/A480
CSS200G304L2BP+2000	G304L	2B FLPE	2.00mm x 2000	COIL G304L 2B LPE ASTM A240/A480
CSS250G3042BP+1219	G304L	2B FLPE	2.50mm x 1219	COIL G304L 2B LPE ASTM A240/A480
CSS250G3042BP+1500	G304L	2B FLPE	2.50mm x 1500	COIL G304L 2B LPE ASTM A240/A480
CSS250G304L2BP+2000	G304L	2B FLPE	2.50mm x 2000	COIL G304L 2B LPE ASTM A240/A480
CSS300G3042BP+1219	G304L	2B FLPE	3.00mm x 1219	COIL G304L 2B LPE ASTM A240/A480
CSS300G3042BP+1500	G304L	2B FLPE	3.00mm x 1500	COIL G304L 2B LPE ASTM A240/A480
CSS300G304L2BP+2000	G304L	2B FLPE	3.00mm x 2000	COIL G304L 2B LPE ASTM A240/A480
CSS400G304L2BP+1500	G304L	2B FLPE	4.00mm x 1500	COIL G304L 2B LPE ASTM A240/A480
CSS400G304L2BP+2000	G304L	2B FLPE	4.00mm x 2000	COIL G304L 2B LPE ASTM A240/A480

Cut-to-length options available.


Laser cutting quality film standard (100 microns)

Other grades and sizes available on request ex. mill stock or production

Coil

Grades: 304, 304L, 316, 316L, 430, 2205, LDX2101, 5CR12, 253MA
Finishes: 2B, 2E, BA, No. 1, No. 4
Unit of Supply: Kg

**Certification: Acc. to
ASTM A240/A480**



CSS

Product Code	Grade	Finish	Product Size (mm)	Description
G304 - BA				
CSS120G304BA+0915	G304	BA LPE	1.20mm x 0915	COIL G304 BA LPE ASTM A240/A480
CSS120G304BA+1219	G304	BA LPE	1.20mm x 1219	COIL G304 BA LPE ASTM A240/A480
CSS125G304LINBA+1250	G304	LINEN LPE	1.25mm x 1250	COIL G304 LINEN LPE ASTM A240/A480
G304 - No. 1				
CSS400G304NO1+1219	G304	NO1	4.00mm x 1219	COIL G304 NO1 ASTM A240/480
CSS400G304NO1+1500	G304	NO1	4.00mm x 1500	COIL G304 NO1 ASTM A240/480
CSS400G304NO1+2000	G304	NO1	4.00mm x 2000	COIL G304 NO1 ASTM A240/480
CSS005G304NO1+1219	G304	NO1	5.00mm x 1219	COIL G304 NO1 ASTM A240/480
CSS005G304NO1+1500	G304	NO1	5.00mm x 1500	COIL G304 NO1 ASTM A240/480
CSS005G304NO1+2000	G304	NO1	5.00mm x 2000	COIL G304 NO1 ASTM A240/480
CSS006G304NO1+1219	G304	NO1	6.00mm x 1219	COIL G304 NO1 ASTM A240/480
CSS006G304NO1+1500	G304	NO1	6.00mm x 1500	COIL G304 NO1 ASTM A240/480
CSS006G304NO1+2000	G304	NO1	6.00mm x 2000	COIL G304 NO1 ASTM A240/480
CSS008G304NO1+1500	G304	NO1	8.00mm x 1500	COIL G304 NO1 ASTM A240/480
CSS008G304NO1+2000	G304	NO1	8.00mm x 2000	COIL G304 NO1 ASTM A240/480
CSS010G304NO1+1500	G304	NO1	10.00mm x 1500	COIL G304 NO1 ASTM A240/480
CSS010G304NO1+2000	G304	NO1	10.00mm x 2000	COIL G304 NO1 ASTM A240/480
CSS006G304CP+1250	G304	NO1	6.00mm x 1250	COIL CHEQUER PLATE G304 NO1
CSS0045G304CP+1524	G304	NO1	4.50mm x 1524	COIL CHEQUER PLATE G304 NO1
G304 - No. 4				
CSS055G304NO4+1219	G304	NO4	0.55mm x 1219	COIL G304 NO4 ASTM A240/480
CSS070G304NO4+1219	G304	NO4	0.70mm x 1219	COIL G304 NO4 ASTM A240/480
CSS090G304NO4+915	G304	NO4	0.90mm x 915	COIL G304 NO4 ASTM A240/480
CSS090G304NO4+1219	G304	NO4	0.90mm x 1219	COIL G304 NO4 ASTM A240/480
CSS120G304NO4+0750	G304	NO4	1.20mm x 750	COIL G304 NO4 ASTM A240/480
CSS120G304NO4+0915	G304	NO4	1.20mm x 915	COIL G304 NO4 ASTM A240/480
CSS120G304NO4+1000	G304	NO4	1.20mm x 1000	COIL G304 NO4 ASTM A240/480
CSS120G304NO4+1050	G304	NO4	1.20mm x 1050	COIL G304 NO4 ASTM A240/480
CSS120G304NO4+1219	G304	NO4	1.20mm x 1219	COIL G304 NO4 ASTM A240/480
CSS120G304NO4+1500	G304	NO4	1.20mm x 1500	COIL G304 NO4 ASTM A240/480
CSS150G304NO4+0915	G304	NO4	1.50mm x 915	COIL G304 NO4 ASTM A240/480
CSS150G304NO4+1219	G304	NO4	1.50mm x 1219	COIL G304 NO4 ASTM A240/480
CSS150G304NO4+1500	G304	NO4	1.50mm x 1500	COIL G304 NO4 ASTM A240/480
CSS200G304NO4+1219	G304	NO4	2.00mm x 1219	COIL G304 NO4 ASTM A240/480
CSS300G304NO4+1219	G304	NO4	3.00mm x 1219	COIL G304 NO4 ASTM A240/480
CSS120G304NO4+0915	G304	NO4 FLPE	1.20mm x 0915	COIL G304 NO4 FLPE ASTM A240/A480
CSS120G304NO4+1219	G304	NO4 FLPE	1.20mm x 1219	COIL G304 NO4 FLPE ASTM A240/A480
CSS120G304NO4+1524	G304	NO4 FLPE	1.20mm x 1524	COIL G304 NO4 FLPE ASTM A240/A480
CSS150G304NO4+0915	G304	NO4 FLPE	1.50mm x 0915	COIL G304 NO4 FLPE ASTM A240/A480
CSS150G304NO4+1219	G304	NO4 FLPE	1.50mm x 1219	COIL G304 NO4 FLPE ASTM A240/A480

Cut-to-length options available.


Laser cutting quality film standard (100 microns)

Other grades and sizes available on request ex. mill stock or production

Coil

Grades: 304, 304L, 316, 316L, 430, 2205, LDX2101, 5CR12, 253MA
Finishes: 2B, 2E, BA, No. 1, No. 4
Unit of Supply: Kg

Certification: Acc. to ASTM A240/A480



CSS

Product Code	Grade	Finish	Product Size (mm)	Description
G316 - 2B				
CSS055G3162B+0915	G316	2B	0.55mm x 915	COIL G316 2B ASTM A240/480
CSS055G3162B+1219	G316	2B	0.55mm x 1219	COIL G316 2B ASTM A240/480
CSS055G3162BP+1219	G316	2B/PE	0.55mm x 1219	COIL G316 2B/PE ASTM A240/480
CSS070G3162B+1219	G316	2B	0.70mm x 1219	COIL G316 2B ASTM A240/480
CSS120G3162B+1219	G316	2B	1.20mm x 1219	COIL G316 2B ASTM A240/480
CSS120G3162B+1500	G316	2B	1.20mm x 1500	COIL G316 2B ASTM A240/480
CSS120G3162BP+1219	G316	2B/PE	1.20mm x 1219	COIL G316 2B/PE ASTM A240/480
CSS150G3162B+1219	G316	2B	1.50mm x 1219	COIL G316 2B ASTM A240/480
CSS150G3162B+1500	G316	2B	1.50mm x 1500	COIL G316 2B ASTM A240/480
CSS2000G3162B+1219	G316	2B	2.00mm x 1219	COIL G316 2B ASTM A240/480
CSS2000G3162B+1500	G316	2B	2.00mm x 1500	COIL G316 2B ASTM A240/480
CSS2500G3162B+1219	G316	2B	2.50mm x 1219	COIL G316 2B ASTM A240/480
CSS2500G3162B+1500	G316	2B	2.50mm x 1500	COIL G316 2B ASTM A240/480
CSS3000G3162B+1219	G316	2B	3.00mm x 1219	COIL G316 2B ASTM A240/480
CSS3000G3162B+1500	G316	2B	3.00mm x 1500	COIL G316 2B ASTM A240/480
G316 - No. 4				
CSS070G316N04+1219	G316	N04	0.70mm x 1219	COIL G316 N04 ASTM A240/480
CSS090G316N04+1219	G316	N04	0.90mm x 1219	COIL G316 N04 ASTM A240/480
CSS120G316N04+1219	G316	N04	1.20mm x 1219	COIL G316 N04 ASTM A240/480
CSS150G316N04+1219	G316	N04	1.50mm x 1219	COIL G316 N04 ASTM A240/480
CSS200G316N04+1219	G316	N04	2.00mm x 1219	COIL G316 N04 ASTM A240/480
CSS200G316N04+1500	G316	N04	2.00mm x 1500	COIL G316 N04 ASTM A240/480
G316L - 2B				
CSS200G316L2BP+1219	G316L	2B FLPE	2.00mm x 1219	COIL G316L 2B LPE ASTM A240/A480
CSS200G316L2BP+1500	G316L	2B FLPE	2.00mm x 1500	COIL G316L 2B LPE ASTM A240/A480
CSS2000G316L2B+2000	G316L	2B	2.0mm x 2000	COIL G316L 2B ASTM A240/480
CSS250G316L2BP+1219	G316L	2B FLPE	2.50mm x 1219	COIL G316L 2B LPE ASTM A240/A480
CSS250G316L2BP+1500	G316L	2B FLPE	2.50mm x 1500	COIL G316L 2B LPE ASTM A240/A480
CSS300G316L2B+1219	G316L	2B	3.00mm x 1219	COIL G316L 2B ASTM A240/A480
CSS300G316L2BP+1219	G316L	2B FLPE	3.00mm x 1219	COIL G316L 2B LPE ASTM A240/A480
CSS3000G316L2B+2000	G316L	2B	3.00mm x 2000	COIL G316L 2B ASTM A240/480
CSS300G316L2BP+1500	G316L	2B FLPE	3.00mm x 1500	COIL G316L 2B LPE ASTM A240/A480
CSS400G316L2B+1219	G316L	2B	4.00mm x 1219	COIL G316L 2B ASTM A240/480
CSS400G316L2BP+1500	G316L	2B FLPE	4.00mm x 1500	COIL G316L 2B LPE ASTM A240/A480
CSS400G316L2B+2000	G316L	2B	4.00mm x 2000	COIL G316L 2B ASTM A240/480
CSS005G316L2B+1219	G316L	2B	5.00mm x 1219	COIL G316L 2B ASTM A240/480
CSS005G316L2B+1500	G316L	2B	5.00mm x 1500	COIL G316L 2B ASTM A240/480
CSS005G316L2B+2000	G316L	2B	5.00mm x 2000	COIL G316L 2B ASTM A240/480
CSS006G316L2B+1219	G316L	2B	6.00mm x 1219	COIL G316L 2B ASTM A240/480
CSS006G316L2B+1500	G316L	2B	6.00mm x 1500	COIL G316L 2B ASTM A240/480
CSS006G316L2B+2000	G316L	2B	6.00mm x 2000	COIL G316L 2B ASTM A240/480

Cut-to-length options available.


Laser cutting quality film standard (100 microns)

Other grades and sizes available on request ex. mill stock or production

Coil

Grades: 304, 304L, 316, 316L, 430, 2205, LDX2101, 5CR12, 253MA
Finishes: 2B, 2E, BA, No. 1, No. 4
Unit of Supply: Kg

Certification: Acc. to ASTM A240/A480



CSS

Product Code	Grade	Finish	Product Size (mm)	Description
G316L - No. 1				
CSS400G316LN01+1500	316L	NO1	4.00mm x 1500	COIL G316L NO1 ASTM A240/480
CSS400G316LN01+2000	316L	NO1	4.00mm x 2000	COIL G316L NO1 ASTM A240/480
CSS005G316LN01+1219	316L	NO1	5.00mm x 1219	COIL G316L NO1 ASTM A240/480
CSS005G316LN01+1500	316L	NO1	5.00mm x 1500	COIL G316L NO1 ASTM A240/480
CSS005G316LN01+2000	316L	NO1	5.00mm x 2000	COIL G316L NO1 ASTM A240/480
CSS006G316LN01+1219	316L	NO1	6.00mm x 1219	COIL G316L NO1 ASTM A240/480
CSS006G316LN01+1500	316L	NO1	6.00mm x 1500	COIL G316L NO1 ASTM A240/480
CSS006G316LN01+2000	316L	NO1	6.00mm x 2000	COIL G316L NO1 ASTM A240/480
CSS008G316LN01+1500	316L	NO1	8.00mm x 1500	COIL G316L NO1 ASTM A240/480
CSS008G316LN01+2000	316L	NO1	8.00mm x 2000	COIL G316L NO1 ASTM A240/480
CSS010G316LN01+1500	316L	NO1	10.00mm x 1500	COIL G316L NO1 ASTM A240/480
CSS010G316LN01+2000	316L	NO1	10.00mm x 2000	COIL G316L NO1 ASTM A240/480
LDX 2101 - 2E				
CSS200G21012E+1500	LDX2101	2E	2.00mm x 1500	COIL GRADE LDX2101 2E ASTM A240/480
CSS300G22052E+2000	LDX2101	2E	3.00mm x 2000	COIL GRADE LDX2101 2E ASTM A240/480
G2205 - 2E				
CSS150G22052E+1500	2205	2E	1.50mm x 1500	COIL GRADE 2205 2E ASTM A240/480
CSS200G22052E+1500	2205	2E	2.00mm x 1500	COIL GRADE 2205 2E ASTM A240/480
CSS200G22052E+2000	2205	2E	2.00mm x 2000	COIL GRADE 2205 2E ASTM A240/480
CSS300G22052E+1500	2205	2E	3.00mm x 1500	COIL GRADE 2205 2E ASTM A240/480
CSS300G22052E+2000	2205	2E	3.00mm x 2000	COIL GRADE 2205 2E ASTM A240/480
G430 - No. 4				
CSS070G430N04+1219	430	NO4	0.70mm x 1219	COIL G430 NO4 ASTM A240/480
CSS090G430N04+1219	430	NO4	0.90mm x 1219	COIL G430 NO4 ASTM A240/480
CSS120G430N04+1219	430	NO4	1.20mm x 1219	COIL G430 NO4 ASTM A240/480
G5CR12 - No. 1				
CSS300G5CR12N01+1500	G5CR12	NO1	3.00mm x 1500	COIL G5CR12 NO1 ASTM A240/480
CSS005G5CR12N01+1500	G5CR12	NO1	5.00mm x 1500	COIL G5CR12 NO1 ASTM A240/480
CSS005G5CR12N01+2000	G5CR12	NO1	5.00mm x 2000	COIL G5CR12 NO1 ASTM A240/480
CSS006G5CR12N01+1500	G5CR12	NO1	6.00mm x 1500	COIL G5CR12 NO1 ASTM A240/480
CSS006G5CR12N01+2000	G5CR12	NO1	6.00mm x 2000	COIL G5CR12 NO1 ASTM A240/480
G253MA - 2E				
CSS150G253MA2E+1250	G253MA	2E	1.50mm x 1250	COIL GRADE 253MA 2E ASTM A240/480
CSS200G253MA2E+2000	G253MA	2E	2.00mm x 2000	COIL GRADE 253MA 2E ASTM A240/480
CSS300G253MA2E+2000	G253MA	2E	3.00mm x 2000	COIL GRADE 253MA 2E ASTM A240/480
CSS500G253MA2E+2000	G253MA	2E	5.00mm x 2000	COIL GRADE 253MA 2E ASTM A240/480
CSS600G253MA2E+2000	G253MA	2E	6.00mm x 2000	COIL GRADE 253MA 2E ASTM A240/480

Cut-to-length options available.

Laser cutting quality film standard (100 microns)

Other grades and sizes available on request ex. mill stock or production