

03 /

Extrusions

Louvre Frame	21
Fence & Gate	24
UltraBatten	29
Coolroom & Wall Board	31
Stairs & Stair Nosing	34
Marine	35
Ute Tray	37
Truck Deck	39
Signage & Annex Track	42
Modular System	44
Planks	45
Seating & Setting	46
Stanchions	47
Closure Bends & Slip Joints	48
Walkway Grating	50
Wardrobe - Vee Glide	51
Wardrobe - Components	54

Please contact your local branch for stock levels.

Note that some products may not be available in all states, and variations or substitutions may be an option.

Louvre Frame

UA 1572
Louvre Blade
Kg/m: 0.440
P: 165
OAD: 60 x 20

UA 3101
Louvre Z Blade 69mm
Kg/m: 0.961
P: 390
OAD: 126.45 X 69


UA 3102
Louvre Z Blade
Kg/m: 1.256
P: 460
OAD: 151.17 x 94

UA 10788
Elliptical Louvre
Kg/m: 0.82
P: 185
OAD: 88 x 14

UA 8029
Elliptical Louvre
Kg/m: 0.942
P: 210
OAD: 100 x 20

UA 5354
Elliptical Louvre Blade
Kg/m: 1.536
P: 232
OAD: 110 x 22

UA 10018
Elliptical Louvre
Kg/m: 1.543
P: 313
OAD: 150 x 29



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.


Louvre Frame (continued)

UA 6446
Louvre Head
Kg/m: 1.406
P: 671
OAD: 120

UA 6447
Louvre Jamb
Kg/m: 1.093
P: 532
OAD: 120

UA 6448
Louvre Sill
Kg/m: 1.389
P: 661
OAD: 120

UA 6488
Screen Standout
Kg/m: 0.473
P: 205
OAD: 65



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.

Louvre Frame *(continued)*

UA 10523

Louvre Mount 150mm
to suit UA 10018
Kg/m: 4.165
P: 438
OAD: 122 x 76.75

UA 1661

Louvre Z Blade 31.8mm
Kg/m: 0.446
P: 192
OAD: 70.70 X 31.80


UA 5355

Louvre Brace
Kg/m: 0.585
P: 178
OAD: 53 x 40

UA 10523



UA 1661



UA 5355



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

Please contact your local branch for more enquires and stock levels.

Note that some products may not be available in all states, and variations or substitutions may be an option.


Fence & Gate

UA 10180
Corner Post
Kg/m: 1.422
P: 346
OAD: 50 x 50 x 2

UA 10081
2 Way Post (rad corner) 50mm
Kg/m: 1.422
P: 346
OAD: 50 x 50 x 2

UA 10082
1 Way Post (rad corner) 50mm
Kg/m: 1.206
P: 268
OAD: 50 x 50 x 2

UA 6272
Gate Top Track
Kg/m: 2.156
P: 356
OAD: 94.80 X 50.80 X 3



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.

Fence & Gate *(continued)*

UA 4869
Gate Bottom Track
Kg/m: 1.267
P: 222
OAD: 75 x 25

UA 6506
Slot
Kg/m: 0.496
P: 157
OAD: 65 X 16 X 1.2

UA 6507
Slot
Kg/m: 0.576
P: 157
OAD: 65 X 16 X 1.4

UA 8654
Slot
Kg/m: 0.89
P: 227
OAD: 100 x 16 x 14

UA 4869



UA 6506



UA 6507



UA 8654



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

*Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.*

Fence & Gate *(continued)*

UA 1213
Square Hollow
Kg/m: 3.143
P: 383
OAD: 100 x 3


UA 8006
Channel
Kg/m: 0.25
P: 116
OAD: 20 x 20 x 16

UA 4664
Square Hollow
Kg/m: 2.009
P: 252
OAD: 65 x 3



UA 12277
POST
Kg/m: 1.632
P: 250
OAD: 65 x 65 x 2.5

UA 2949
Square Hollow
Kg/m: 1.037
P: 200
OAD: 50 x 2

UA 4663
Square Hollow
Kg/m: 1.523
P: 195
OAD: 50 x 3



UA 8006



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

*Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.*




Fence & Gate *(continued)*

UA 6465
Rectangular Hollow
Kg/m: 1.268
P: 300
OAD: 100 x 50 x 1.6

UA 5719
Rectangular Hollow
Kg/m: 1.847
P: 240
OAD: 80 x 40 x 3

UA 4707
Rectangular Hollow
Kg/m: 3.143
P: 400
OAD: 150 x 50 x 3

UA 1202
Rectangular Hollow
Kg/m: 3.952
P: 500
OAD: 100 x 50 x 3




OAD = Overall Dimensions
Diagrams are schematic only and not intended as specification drawings.

*Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.*

Fence & Gate *(continued)*

UA 6464
Rectangular Hollow
Kg/m: 3.952
P: 500
OAD: 200 x 50 x 3

UA 8676
Corner Stake
Kg/m: 4.9
P: 1184
OAD: 144 x 144



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

*Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.*

UltraBatten


UA 10597
Batten Outer
Kg/m: 0.987
P: 364
OAD: 50 x 50

UA 10598
Batten Outer
Kg/m: 1.839
P: 463
OAD: 50 x100

UA 10599
Batten Outer
Kg/m: 3.067
P: 551
OAD: 50 x 150

UA 10601
Batten Inner
Kg/m: 0.316
P: 120
OAD: 25 x 50

UA 10596
Batten Inner
Kg/m: 0.874
P: 301
OAD: 50 x50



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.


UltraBatten *(continued)*

UA 10602
Batten Outer
Kg/m: 0.702
P: 260
OAD: 25 x 50

UA 10603
Batten Outer
Kg/m: 1.085
P: 290
OAD: 25 x 75

UA 10604
Batten Outer
Kg/m: 3.067
P: 363
OAD: 25 x 100

UA 10605
Batten Outer
Kg/m: 2.009
P: 463
OAD: 25 x 150




OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

*Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.*

Coolroom & Wall Board

- UA 1451**
3mm Capping
Kg/m: 0.088
P: 68
OAD: 21 x 6
- UA 1455**
5mm Capping
Kg/m: 0.094
P: 71
OAD: 21 x 8
- UA 1452**
3mm Jointer
Kg/m: 0.117
P: 88
OAD: 27 x 6.5
- UA 1456**
5mm Jointer
Kg/m: 0.120
P: 91
OAD: 27 x 8
- UA 1454**
3mm Ext Corner
Kg/m: 0.129
P: 97
OAD: 19 x 16.6
- AUS 5895**
Channel
Kg/m: 0.775
P: 354
OAD: 103 x 38
- UA 5896**
Channel
Kg/m: 0.647
P: 304
OAD: 78 x 38
- UA 5897**
Channel
Kg/m: 0.976
P: 277
OAD: 92.1 x 25.4
- UA 5899**
Coving
Kg/m: 0.255
P: 121
OAD: 35 x 35
- UA 5900**
Channel
Kg/m: 0.325
P: 204
OAD: 53.2 x 25



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.

Coolroom & Wall Board *(continued)*

UA 6458

Coolroom Channel
Kg/m: 0.976
P: 327
OAD: 117 x 25

AUS 6460

Channel
Kg/m: 0.506
P: 0.976
OAD: 117 x 25

AUS 6617

Channel
Kg/m: 0.538
P: 252
OAD: 78.2 x 25

UA 1350

White Glides Top &
Side Fix Track
Kg/m:
P: 100
OAD: 15 x 20

UA 6556

Shelf Stiffener
Kg/m: 0.502
P: 165
OAD: 45.5 X 13.8

UA 6620

J Internal Channel
(Internal 50mm)
Kg/m: 0.44
P: 219
OAD: 53 x38

EU 6648

Corner Coving
Kg/m: 0.77
P: 271
OAD: 75 x 75

UA 8940

Corner Coving
Kg/m: 0.456
P: 182
OAD: 50 x 50

UA 6458

UA 6617

UA 6460

UA 1350

UA 6556

UA 6620

UA 8940

EU 6648

OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

*Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.*

Coolroom & Wall Board *(continued)*

UA 8794
Coolroom Angle
Kg/m: 0.316
P: 159
OAD: 40 x 1.5


UA 5938
Unequal Angel
Kg/m: 0.47
P: 219
OAD: 70 x 40

UA 1442
Serrated Angle
Kg/m: 0.120
P: 91
OAD: 20 x 20

UA 6616
Internal Transport
Angle
Kg/m: 0.28
P: 159
OAD: 3992 x 3991 x 1.3

UA 6663
Door Jamb (50mm
Internal)
Kg/m: 0.537
P: 250
OAD: 53.5 x 37

UA 6457
Double Rub Rail
Kg/m: 0.692
P: 320
OAD: 112 x 18.6



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

*Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.*

Stairs & Stair Nosing

UA 8600
Stair Tread
Kg/m: 3.067
P: 1109
OAD: 250 x 50


UA 5431
Stair Tread
Kg/m: 2.882
P: 1028
OAD: 250 x 39.5

UA 1498
Moulding
Kg/m: 0.376
P: 159
OAD: 52 x 28

EME 1548
Stair Tread
Kg/m: 0.40
P: 125
OAD: 46 x 15.06

UA 1433
30mm Serrated Step
Angle
Kg/m: 0.228
P: 126
OAD: 33 x 29

UA 1442
20mm Serrated Step
Angle
Kg/m: 0.143
P: 100
OAD: 19.6 x 19.6 x 1.5



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.

Marine

UA 10124
Coaming Fascia
Kg/m: 1.156
P: 262
OAD: 89.87 x 16

UA 2907
Internal Boat Gunnel
Kg/m: 1.11
P: 259
OAD: 90 x16

UA 1418
Upright Bracket
Kg/m: 0.434
P: 259
OAD: 26 x 18

UA 1414
J Drip Mould
Kg/m: 0.146
P: 100
OAD: 21.5 x 12.5
*Alternative: EG 6454
23.8 x 12.7

UA 1430
Herzim
Kg/m:
P:
OAD: 30 x 4

UA 1424
Sail Track
Kg/m:
P:
OAD: 32 x 12

UA 1421
5mm Perspex Cap
Kg/m: 0.39
P: 100
OAD: 22 x 12

UA 10124



UA 2907



UA 1418



UA 1414



UA 1430



UA 1424



UA 1421




OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.

Marine (continued)

UA 5641
Marine Plank
Kg/m: 3.808
P: 549
OAD: 228 x 49



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.

Ute Tray

UA 8348
130mm Outer Frame
Kg/m: 0.185
P: 461
OAD: 130 x 30


UA 8350
Outer Frame Cover
Kg/m: 0.385
P: 147
OAD: 39 x 25

UA 8349
Outer Frame Cover
Kg/m: 0.411
P: 106
OAD: 30 x 9

UA 8346
Outer Frame
Angle
Kg/m: 2.761
P: 680
OAD: 225 x 30

UA 8343
Ribbed Floor Plank
Kg/m: 1.504
P: 534
OAD: 187 x 25

UA 8347
Side Rail Holder
Kg/m: 1.919
P: 315
OAD: 86 to suit 25mm Rail



OAD = Overall Dimensions
Diagrams are schematic only and not intended as specification drawings.

*Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.*

Ute Tray *(continued)*

UA 8438

Side Coaming Rail
Kg/m: 1.158
P: 284
OAD: 82 x 30

UA 8345

Side Coaming Rail
Kg/m: 0.821
P: 234
OAD: 30 x 57

UA 8342

Starter Plank
Kg/m: 1.104
P: 398
OAD: 104,5 x 51

UA 8344

End Plank
Kg/m: 1.043
P: 309
OAD: 83 x 53

EXT 10976

Drop Side Plank
Kg/m: 2.918
P: 1081
OAD: 284,5 x 45



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

*Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.*


Truck Deck

UA 8644
Stock Crate Siding
Kg/m: 1.894
P: 436
OAD: 170 x 11

UA 8242
195mm Truck Side Rail
Kg/m: 1.846
P: 440
OAD: 195

UA 5250
Curtain Slider Runner
Kg/m: 2.066
P: 434
OAD: 75 x 50

UA 8249
150mm Ute Side Rail
Kg/m: 1.254
P: 351
OAD: 150



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.


Truck Deck *(continued)*

UA 10372
4Ton Side Coaming
Kg/m: 1.603
P: 328
OAD: 31.2 x 101

UA 10371
4 Ton Rear Coaming
Kg/m: 1.12
P: 273
OAD: 24.4 x 69

UA 10369
4Ton Decking Middle Plank
Kg/m: 1.947
P: 636
OAD: 192.85 x 40

UA 10370
4Ton Decking Starter Plank
Kg/m: 1.789
P: 607
OAD: 154.5 x 40



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

*Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.*

Truck Deck *(continued)*


UA 3493
Truck Deck
Kg/m: 1.667
P: 492
OAD: 130 x 66

UA 10015
Truck Deck
Kg/m: 1.645
P: 477
OAD: 145 x 66.5

UA 8816
Transport Side Angle
Kg/m: 1.567
P: 392
OAD: 100 x 3.5

UA 6244
Rub Rail
Kg/m: 1.44
P: 404
OAD: 145 x 14

UA 8456
Horse Float Flooring
Middle Plank
Kg/m: 1.46
P: 526
OAD: 187 x 25




OAD = Overall Dimensions
Diagrams are schematic only and not intended as specification drawings.

*Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.*

Signage & Annex Track

- UA 8450**
200mm Sign Frame
Kg/m: 2.36
P: 672
OAD: 200 x 21
- UA 8449**
150mm Sign Frame
Kg/m: 1.412
P: 527
OAD: 150 x 20
- UA 10592**
Heavy Durt Sail Track
Kg/m: 1.190
P: 209
OAD: 46.95 x 22.50
- UA 10427**
Bracket
Kg/m: 0.523
P: 218
OAD: 49.3 x 42.9
- UA 1608**
Awning Mould
Kg/m: 0.221
P: 100
OAD: 28 x 12.8
- UA 5287**
Double Flange Sail Track
Kg/m: 0.297
P: 133
OAD: 45 x 11.61
- UA 8362**
Double Rope Track
Kg/m: 0.272
P: 130
OAD: 27.5 x 12.2
- UA 10054**
Single Offset Sail Track
Kg/m: 0.194
P: 100
OAD: 28.5 x 12.2
- UA 1451**
3mm Capping
Kg/m: 0.088
P: 100
OAD: 21 x 6
- UA 10622**
Caravan J Mould
Kg/m: 0.218
P: 110
OAD: 31.75 x 16.25



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

Please contact your local branch for more enquires and stock levels.

Note that some products may not be available in all states, and variations or substitutions may be an option.

Signage & Annex Track *(continued)*

UA 6490
Sign Brace Channel
Kg/m: 0.698
P: 185
OAD: 28.50 x 25.5

UA 6599
4mm UltraSign Frame
Kg/m: 0.471
P: 229
OAD: 130 x 66

UA 6597
4mm UltraSign Jointer
Kg/m: 0.165
P: 100
OAD: 25 x 7.5

UA 6596
4mm UltraSign
Capping
Kg/m: 0.100
P: 100
OAD: 15 x 7.2

UA 1452
3mm UltraSign Jointer
Kg/m: 0.117
P: 100
OAD: 27 x 6.5

UA 6598
4mm UltraSign
Internal/External
Corner
Kg/m: 0.198
P: 102
OAD: 18.95 x 15.6

UA 10230
150mm Sign Blade
Kg/m: 1.665
P: 348
OAD: 149.45 x 19.05

UA 10229
200mm Sign Blade
Corner
Kg/m: 1.665
P: 448
OAD: 149.45 x 19.05

UA 6490



UA 10230



UA 10229



UA 6599



UA 6597



UA 6596



UA 1452



UA 6598



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

*Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.*

Modular System

FAEJ4048
2 Way Corner Joiner

FAEJ4052
4 Way X Shape Joiner

FAEJ4055
3 Way Y Shape Corner Joiner

FAEJ4065
5 Way Joiner

FAEJ4050
3 Way T Shape Joiner

FAEJ4060
4 Way Y Shape Corner Joiner


FAEJ4070
6 Way Joiner

FAEJ54075
End Cap


UA 1641
Square Tube
Kg/m: 0.341
P: 114
OAD: 25.4 x 25.4 x 1.2

UA 1642
Square Tube - Lipped
Kg/m: 0.313
P: 101
OAD: 25.4 x 25.4 x 1.2


FAEJ4048




FAEJ4052




FAEJ4055




FAEJ4065




FAEJ4050



FAEJ4060




FAEJ54075



UA 1641



UA 1642



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.

Planks

TP2.4

Plank
Weight: 10kg
Size: 2.4m
Rating: 250kg

TP3.0

Plank
Weight: 12.4kg
Size: 3.0m
Rating: 250kg

TP3.6

Plank
Weight: 14.8kg
Size: 3.6m
Rating: 250kg

TP4.0

Plank
Weight: 16.4kg
Size: 4.0m
Rating: 250kg

TP5.0

Plank
Weight: 20.4kg
Size: 5.0m
Rating: 250kg

TP6.0

Plank
Weight: 24.4kg
Size: 6.0m
Rating: 250kg



2.4 Planks

Supported on a maximum span of 2.3m
+

3.0m, 4.0m, 5.0m & 6.0m Planks

Supported on a maximum span of 2.8m.

Met the requirements for Heavy Duty 250kg WLL and complies with:

AS6001:1999 Clause 3.1

ASNZS1577 – 2018 Appendix A

ASNZS1577 – 2018 Appendix B

ASNZS1577 – 2018 Appendix C

ASNZS1577 – 2018 Appendix D

4.0m, 5.0m & 6.0m Planks

Supported on a maximum span of 3.0m

Met the requirements for Heavy Duty 250kg WLL, Uniformly Distributed Load (UDL) and complies with

AS6001:1999 Clause 3.1

OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

Please contact your local branch for more enquires and stock levels.


Note that some products may not be available in all states, and variations or substitutions may be an option.

Seating & Setting

UA 4473
Seating Section
Kg/m: 2.787
P: 870
OAD: 254 x 55

UA 4474
Seating Back Rest
Kg/m: 1.729
P: 611
OAD: 177.6 x 51

UA 4884
Saw Horse Top
Kg/m: 2.742
P: 857
OAD: 230 x 50











OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

*Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.*

Stanchions

			
FWALKACS	FWALKACDOSO	FWALKASOS	FWALKASC
Description: Cored Through	Description: Drilled One Side	Description: Side Offset	Description: Side Conveyor
			
FWALKAPS	FWALKAPC	FWALKASS	FWALKAWS
Description: Platform	Description: Platform Corner	Description: Side 38.1 Mid	Description: Welded
FWALKAPDOSO		FWALKASSDLSO & FWALKASSDRSO	FWALKAWS
Description: Drilled One Side		Description: Drilled One Side	Description: Drilled One Side

OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.

Closure Bends & Slip Joints

Angle Closure Bends (ACB)
90° Closure
Code: UWAACB90140

35° Closure
Code: UWAACB35140

38° Closure
Code: UWAACB35140


41° Closure
Code: UWAACB41140

44° Closure
Code: UWAACB44140


Rail Bends (RB)
90° Handrail Bend
Code: UWAHR90

90° Kneerail Bend
Code: UWAKR90


90° Angle Close Bends (ACB)



35° - 44° Angle Close Bends (ACB)



Rail Bends (RB)






OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.

Closure Bends & Slip Joints *(continued)*




OAD = Overall Dimensions


Diagrams are schematic only and not intended as specification drawings.

Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.

Walkway Grating





WALKG13	
Length:	6000mm
Width:	600mm
Weight:	28.0kg/panel 7.756kg/m2




WALKG22	
Length:	6000mm
Width:	600mm
Weight:	35.0kg/panel 9.757kg/m2

SERIES 13 & 22




WALKG30	
Length:	6000mm
Width:	500mm
Weight:	46.7kg/panel 15.56kg/m2




WALKG40	
Length:	6000mm
Width:	500mm
Weight:	51.8kg/panel 17.27kg/m2


SERIES 30 & 40



SERIES 30/SL



WALKG13/SL	
Length:	6000mm
Width:	250mm
Weight:	28.2kg/panel 18.8kg/m2



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.

Wardrobe – Vee Glide

XVG 030 251
Double Track Shallow Head
Kg/m: 0.71
P: 100
OAD: 81.6 X 40


XVG 030254
Triple Track Head
Kg/m: 1.246
P: 100
OAD: 123 X 50

XVG 030253
Double Channel Jamb
Kg/m: 0.573
P: 100
OAD: 82.5 x 34

XVG 030 251



XVG 030254



XVG 030253



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.

Wardrobe – Vee Glide *(continued)*

XVG 6956

Triple Track Sill
Kg/m: 0.898
P: 100
OAD: 122.3 x 25.20

XVG 030260

Double Track Cover
Jamb
Kg/m: 0.505
P: 100
OAD: 86.5 x 34.5

XVG 8560



Double Track Channel
Jamb
Kg/m: 0.417
P: 100
OAD: 82.5 x 1.6

XVG 030252

Double Track Flat Sill
Kg/m: 0.47
P: 100
OAD: 82.5 x 9.2

XWAR 17669

Double Head Track
Kg/m: 0.496
P: 100
OAD: 70.6 x 30



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.

Wardrobe – Vee Glide (continued)

XWAR 17670
Double Sill Track
Kg/m: 0.336
P: 100
OAD: 70.6 x 6

XWAR 17670



XVG 6954
Lipped Seal
Kg/m: 0.592
P: 100
OAD: 82.1 x 25.2

XVG 6954



XWAR 0302671
Stile
Kg/m: 0.305
P: 100
OAD: 28.9 x 21.5

XWAR 030332
Lipped Stile
Kg/m: 0.271
P: 100
OAD: 34 x 19.5

XWAR 0302671



XWAR 030332



XVG 030248
Rail
Kg/m: 0.298
P: 100
OAD: 14.25 x 26

XVG 030248



XWARVA 6971
Wall Channel
Kg/m: 0.194
P: 100
OAD: 20.2 x 19.2

XWARVA 6971



XWAR 17671
Top Rail
Kg/m: 0.282
P: 100
OAD: 15 x 24.9

XWAR 17671



XWAR 17672
Bottom Rail
Kg/m: 0.412
P: 100
OAD: 15 x 44.9

XWAR 17672



XWARG 6463
Lipped Rail
Kg/m: 0.311
P: 100
OAD: 13.9 x 26

XWAR 17671



XWARG 6463



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.

Wardrobe – Components

FWARWVG300
Door Wheel Assembly

FWARWVG100
Head Guide


FWARWA200
4mm Glazing Channel

FWARWA210
9mm Board Wedge


FWARWA220
10mm Board Wedge

FWARWVG200
Buffer Strip

FWARWVG300



FWARWVG100



FWARWA200



FWARWA210



FWARWA220



FWARWVG200



OAD = Overall Dimensions

Diagrams are schematic only and not intended as specification drawings.

Please contact your local branch for more enquires and stock levels.
Note that some products may not be available in all states, and variations or substitutions may be an option.

