

07 /

Miscellaneous

Miscellaneous	53
Modular Sections	54
Toilet Partitioning	55
Marine	56
Fence & Gate	57
Security Door & Window	58
Extrusions	59
Stair Nosing & Flooring	60

Miscellaneous

UA 4473

Bench Seat Top
Kg/m: 2.787
P: 870
OAD: 254 x 55

UA 4382

Concrete Screed
Kg/m: 1.234
P: 236
OAD: 70 x 50

UA 1391

Showerscreen Frame
Kg/m: 0.341
P: 107
OAD: 30.5 x 10.5

UA 1353

6mm Glass Track Top
Kg/m: 0.232
P: 131
OAD: 23 x 14

UA 1354

6mm Glass Track Base
Kg/m: 0.179
P: 99
OAD: 23 x 8

UA 2906

Din Rail
Kg/m: 0.353
P: 141
OAD: 35.5 x 13

UA 1343

Sliding Door Tee
Kg/m: 0.146
P: 48
OAD: 15.8 x 19

UA 2154

Door Track
Kg/m: 0.143
P: 48
OAD: 19 x 6

UA 4473

UA 1391



UA 4382



UA 2906



UA 1353



UA 1343



UA 1354



UA 2154



OAD = Overall Dimension
ID = Internal Dimensions
P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.

**Contact your local
branch to enquire.**

*Diagrams are schematic
only and not intended as
specification drawings.*

Modular System

HWJOIN252L
2 Way Corner Joiner

HWJOIN253Y
3 Way Y Shape Corner Joiner

HWJOIN243T
3 Way T Shape Joiner


HWJOIN254Y
4 Way Y Shape Corner Joiner

HW25ENDBRK
End Mounting Bracket


UA 1641
Square Tube
Kg/m: 0.341
P: 114
OAD: 25.4 x 25.4 x 1.2

UA 1642
Square Tube - Lipped
Kg/m: 0.313
P: 101
OAD: 25.4 x 25.4 x 1.2


HWJOIN252L




HWJOIN253Y




HWJOIN243T



HWJOIN254Y



HW25ENDBRK



UA1641



UA1642



OAD = Overall Dimension
ID = Internal Dimensions
P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.

**Contact your local
branch to enquire.**

*Diagrams are schematic
only and not intended as
specification drawings.*

Toilet Partitioning & Modular Sections

UA 6455

18mm Corner

Kg/m: 0.591

P: 225

OAD: 40.1 x 40.1

UA 5949

18mm Capping

Kg/m: 0.235

P: 2119

OAD: 21.6 x 20

UA 6453


18mm Jointer

Kg/m: 0.389

P: 194

OAD: 38.5 x 21.6

UA 6455



UA 5949



UA 6453



UA 1642



OAD = Overall Dimension

ID = Internal Dimensions

P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.

Contact your local
branch to enquire.

*Diagrams are schematic
only and not intended as
specification drawings.*

Marine

UA 3747
Hull Planing Strip
Kg/m: 0.526
P: 79
OAD: 64.3 x 45

UA 1425
Sail Track
Kg/m: 0.213
P: 85
OAD: 22 x 8

UA 1424
Sail Track
Kg/m: 0.478
P: 124
OAD: 32 x 12

UA 1421
5mm Perspex Cap
Kg/m: 0.393
P: 99
OAD: 22 x 12

UA 1642
Square Tube - Lipped
Kg/m: 0.313
P: 101
OAD: 25.4 x 25.4 x 1.2

UA 1640
4mm Gunnel
Kg/m: 0.857
P: 167
OAD: 38 x 32

UA 3079
4-5-4mm Gunnel
Kg/m: 1.11
P: 194
OAD: 50 x 35

UA 5236
5-6-5mm Gunnel
Kg/m: 1.706
P: 240
OAD: 60 x 45

UA 3747



UA 1425



UA 1424



UA 1421



UA 1640



UA 3079



UA 5236



UA 1642



OAD = Overall Dimension
ID = Internal Dimensions
P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.

**Contact your local
branch to enquire.**

*Diagrams are schematic
only and not intended as
specification drawings.*

Fence & Gate

UA 7613

Fence/Gate Panel
OAD: 60 x 17

UA 6856

Fence/Gate Panel
OAD: 115 x 17

UA 6857

Tongue & Groove Panel
OAD: 106.80 x 17

UA 6859

Sliding Gate Track
Kg/m: 0.798
P: 194
OAD: 50.2 x 18

UA 1661

Louvre Blade
OAD: 100

UA 1642

Square Tube - Lipped
Kg/m: 0.313
P: 101
OAD: 25.4 x 25.4 x 1.2

UA 7613




UA 6856



UA 6857



UA 1661



UA 6859



OAD = Overall Dimension
ID = Internal Dimensions
P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.

**Contact your local
branch to enquire.**

*Diagrams are schematic
only and not intended as
specification drawings.*

Security Door & Window

UA 1376
Security Joiner
Kg/m: 0.257
P: 129
OAD: 28 x 10.9

UA 1377
Security Door
Kg/m: 0.715
P: 240
OAD: 72 x 20

UA 7008
UltraSafe Window Frame
Kg/m: 0.444
P: 144
OAD: 40.25 x 10.8

UA 1310
Heavy Draght Exclusion
Section
Kg/m: 0.145
P: 75
OAD: 18 x 13


UA 1379
Flyscreen Stake
Kg/m: 2.227
P: 264
OAD: 50 x 50

UA 1864
Security Door Stake
for 1377
Kg/m: 3.336
P: 527
OAD: 104.5 x 77.5

UA 1376



UA 1379



UA 7008




UA 1864



UA 1310



UA 1377



OAD = Overall Dimension
ID = Internal Dimensions
P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.

**Contact your local
branch to enquire.**

*Diagrams are schematic
only and not intended as
specification drawings.*

Extrusions

UA 1490

Threshold

Kg/m: 0.892

P: 181

OAD: 76.2 x 12.7


UA 1488

Threshold

Kg/m: 1.888

P: 370

OAD: 169 x 14.68



UA 1490

UA 1488



OAD = Overall Dimension

ID = Internal Dimensions

P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.

Contact your local
branch to enquire.

*Diagrams are schematic
only and not intended as
specification drawings.*

Stair Nosing & Flooring

UA 1432

Nosing Heavy Serrated

Kg/m: 0.419

P: 154

OAD: 49.86 x 27

UA 1435

Angle Serrated

Kg/m: 0.204

P: 93

OAD: 26.42 x 19

UA 1436

Nosing Castellated

Kg/m: 0.466

P: 152

OAD: 57.5 x 16

UA 1440

Castellated Flat

Kg/m: 0.244

P: 96

OAD: 38.4 x 3

UA 1442

Angle Serrated

Kg/m: 0.143

P: 85

OAD: 20 x 20

UA 1491

Vinyl Floor Cope

Kg/m: 0.140

P: 60

OAD: 25.4 x 5.56

UA 1497

Nosing Single Round

Kg/m: 0.388

P: 164

OAD: 55.2 x 28

UA 1498

Nosing Single Square

Kg/m: 0.378

P: 160

OAD: 52.2 x 28

UA 1498

Nosing Single Square

Kg/m: 0.378

P: 160

OAD: 52.2 x 28

Aquadeck Nosing Infill

To suit UA 1497 & UA1498

Size: 42mm x 1.8m roll

Colour: Black or Yellow

Walksafe Nosing Infill

To suit UA 1497 & UA1498

Size: 42mm x 1.8m roll

Colour: Black or Yellow

UA 2323

Formica Trim

Kg/m: 0.091

P: 52

OAD: 20.5 x 6.5

UA 1432



UA 1497



UA 1435



UA 1498



UA 1436



Aquadeck Nosing infill



Walksafe Nosing infill



UA 1440



UA 2323



UA 1442



UA 1491



OAD = Overall Dimension

ID = Internal Dimensions

P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.

**Contact your local
branch to enquire.**

*Diagrams are schematic
only and not intended as
specification drawings.*