


01 /

# Rolled Product

|                             |   |
|-----------------------------|---|
| Sheet & Plate - Grade 5005  | 3 |
| Sheet & Plate - Grade 5052  | 4 |
| Sheet & Plate - Grade 5083  | 5 |
| Sheet & Plate - Grade 6061  | 6 |
| Coil - Grade 3003/5005/5052 | 6 |
| Treadplate - Grade 3003     | 7 |

## Sheet & Plate – SA & PAL



Sheets available in 50µm PE Film and/or PE 100µm Laser Film.

Sheets less than 1.6mm come in stucco embossed.

\*Sheets have thickness of 5mm & less.

Plate have thickness of 6mm & more.

### Grade 5005


| T (mm) | W (mm) | L (mm) | Alloy-Temper | Finish      | Nominal Mass/Piece |
|--------|--------|--------|--------------|-------------|--------------------|
| 0.45   | 900    | 2400   | 5005-H34     | Mill Finish | 2.634              |
| 0.7    | 1200   | 2400   | 5005-H34     | Mill Finish | 5.463              |
| 0.9    | 900    | 2400   | 5005-H34     | Mill Finish | 5.268              |
| 0.9    | 1200   | 2400   | 5005-H34     | Mill Finish | 7.024              |
| 0.9    | 1200   | 3000   | 5005-H34     | Mill Finish | 8.78               |
| 0.9    | 1500   | 3000   | 5005-H34     | Mill Finish | 10.976             |
| 0.9    | 1500   | 3600   | 5005-H34     | Mill Finish | 13.171             |
| 1.2    | 1200   | 2400   | 5005-H34     | Mill Finish | 9.366              |
| 1.2    | 1200   | 3000   | 5005-H34     | Mill Finish | 11.707             |
| 1.2    | 1200   | 3600   | 5005-H34     | Mill Finish | 14.049             |
| 1.2    | 1500   | 3000   | 5005-H34     | Mill Finish | 14.634             |
| 1.2    | 1500   | 3600   | 5005-H34     | Mill Finish | 17.561             |
| 1.6    | 1200   | 2400   | 5005-H34     | Mill Finish | 12.488             |
| 1.6    | 1200   | 3600   | 5005-H34     | Mill Finish | 18.732             |
| 1.6    | 1500   | 3000   | 5005-H34     | Mill Finish | 19.512             |
| 1.6    | 1500   | 3600   | 5005-H34     | Mill Finish | 23.414             |
| 2.0    | 900    | 2400   | 5005-H34     | Mill Finish | 11.707             |
| 2.0    | 1200   | 2400   | 5005-H34     | Mill Finish | 15.61              |
| 2.0    | 1500   | 3000   | 5005-H34     | Mill Finish | 24.39              |
| 2.0    | 1500   | 3600   | 5005-H34     | Mill Finish | 29.268             |
| 3.0    | 1200   | 2400   | 5005-H34     | Mill Finish | 23.414             |
| 3.0    | 1200   | 3000   | 5005-H34     | Mill Finish | 29.268             |
| 3.0    | 1500   | 3000   | 5005-H34     | Mill Finish | 36.585             |
| 3.0    | 1500   | 3600   | 5005-H34     | Mill Finish | 43.902             |
| 4.0    | 1200   | 2400   | 5005-H34     | Mill Finish | 31.219             |
| 4.0    | 1500   | 3000   | 5005-H34     | Mill Finish | 48.78              |
| 4.0    | 1500   | 3600   | 5005-H34     | Mill Finish | 58.536             |
| 5.0    | 1200   | 2400   | 5005-H34     | Mill Finish | 39.024             |
| 6.0    | 1200   | 2400   | 5005-H34     | Mill Finish | 46.829             |

### Grade 5005

| T (mm) | W (mm) | L (mm) | Alloy-Temper | Finish | Nominal Mass/Piece |
|--------|--------|--------|--------------|--------|--------------------|
| 0.7    | 1200   | 2400   | 5005-H34     | Stucco | 5.463              |
| 0.9    | 1200   | 2400   | 5005-H34     | Stucco | 7.024              |
| 1.2    | 1200   | 2400   | 5005-H34     | Stucco | 9.366              |
| 1.6    | 1200   | 2400   | 5005-H34     | Stucco | 12.488             |

Aluminium sheets and plates are manufactured to suit the requirements of distributors, stockists, and selected end users.

## Sheet & Plate – SA & PAL *(continued)*



Sheets and plates\* available in 50 micron clear or blue, 100 micron laser film.

\*Sheets have thickness of 5mm & less.


Plate have thickness of 6mm & more.

### Grade 5052

| T (mm) | W (mm) | L (mm) | Alloy-Temper | Finish      | Nominal Mass/Piece |
|--------|--------|--------|--------------|-------------|--------------------|
| 0.7    | 1200   | 2400   | 5052-H32     | Mill Finish | 5.46               |
| 0.9    | 1200   | 2400   | 5052-H32     | Mill Finish | 7.02               |
| 1.2    | 1200   | 2400   | 5052-H32     | Mill Finish | 9.37               |
| 1.6    | 1200   | 2400   | 5052-H32     | Mill Finish | 12.49              |
| 1.6    | 1500   | 3000   | 5052-H32     | Mill Finish | 19.51              |
| 1.6    | 1500   | 3600   | 5052-H32     | Mill Finish | 23.41              |
| 2.0    | 900    | 2400   | 5052-H32     | Mill Finish | 11.71              |
| 2.0    | 1200   | 2400   | 5052-H32     | Mill Finish | 15.61              |
| 2.0    | 1500   | 3000   | 5052-H32     | Mill Finish | 24.39              |
| 2.0    | 1500   | 3600   | 5052-H32     | Mill Finish | 29.27              |
| 2.5    | 900    | 2400   | 5052-H32     | Mill Finish | 14.63              |
| 2.5    | 1200   | 2400   | 5052-H32     | Mill Finish | 19.51              |
| 2.5    | 1500   | 3000   | 5052-H32     | Mill Finish | 30.49              |
| 2.5    | 1500   | 3600   | 5052-H32     | Mill Finish | 36.59              |
| 3.0    | 900    | 2400   | 5052-H32     | Mill Finish | 17.56              |
| 3.0    | 1200   | 2400   | 5052-H32     | Mill Finish | 23.41              |
| 3.0    | 1200   | 3000   | 5052-H32     | Mill Finish | 29.27              |
| 3.0    | 1200   | 3600   | 5052-H32     | Mill Finish | 35.12              |
| 3.0    | 1500   | 3000   | 5052-H32     | Mill Finish | 36.59              |
| 3.0    | 1500   | 3600   | 5052-H32     | Mill Finish | 43.9               |
| 3.0    | 1830   | 6100   | 5052-H32     | Mill Finish | 90.76              |
| 4.0    | 1200   | 2400   | 5052-H32     | Mill Finish | 31.22              |
| 4.0    | 1500   | 3000   | 5052-H32     | Mill Finish | 48.78              |
| 4.0    | 1500   | 3600   | 5052-H32     | Mill Finish | 58.54              |
| 4.0    | 1830   | 6100   | 5052-H32     | Mill Finish | 121.01             |
| 5.0    | 1200   | 2400   | 5052-H32     | Mill Finish | 39.02              |
| 5.0    | 1500   | 3000   | 5052-H32     | Mill Finish | 60.98              |
| 5.0    | 1500   | 3600   | 5052-H32     | Mill Finish | 73.17              |
| 6.0    | 1200   | 2400   | 5052-H32     | Mill Finish | 46.83              |
| 6.0    | 1500   | 3000   | 5052-H32     | Mill Finish | 73.17              |
| 8.0    | 1200   | 2400   | 5052-H32     | Mill Finish | 62.44              |
| 8.0    | 1200   | 3000   | 5052-H32     | Mill Finish | 78.05              |
| 8.0    | 1500   | 3000   | 5052-H32     | Mill Finish | 97.56              |

Aluminium sheets and plates are manufactured to suit the requirements of distributors, stockists, and selected end users.

## Sheet & Plate – SA & PAL *(continued)*



Sheets and plates\* available in 100 micron Lazer film.

\*Sheets have thickness of 5mm & less.


Plate have thickness of 6mm & more.

### Grade 5083

| T (mm) | W (mm) | L (mm) | Alloy-Temper | Finish      | Nominal Mass/Piece |
|--------|--------|--------|--------------|-------------|--------------------|
| 3.0    | 1200   | 2400   | 5083-H116    | Mill Finish | 23.414             |
| 3.0    | 1830   | 6100   | 5083-H116    | Mill Finish | 90.755             |
| 4.0    | 1200   | 2400   | 5083-H116    | Mill Finish | 31.219             |
| 4.0    | 1200   | 4800   | 5083-H116    | Mill Finish | 62.438             |
| 4.0    | 1830   | 6100   | 5083-H116    | Mill Finish | 121.007            |
| 4.0    | 2000   | 7100   | 5083-H116    | Mill Finish | 153.928            |
| 5.0    | 1200   | 2400   | 5083-H116    | Mill Finish | 39.024             |
| 5.0    | 1200   | 6100   | 5083-H116    | Mill Finish | 99.186             |
| 5.0    | 1830   | 6100   | 5083-H116    | Mill Finish | 151.259            |
| 6.0    | 1200   | 2400   | 5083-H116    | Mill Finish | 46.829             |
| 6.0    | 1200   | 6100   | 5083-H116    | Mill Finish | 119.023            |
| 6.0    | 1830   | 6100   | 5083-H116    | Mill Finish | 181.51             |
| 8.0    | 1200   | 2400   | 5083-H116    | Mill Finish | 62.438             |
| 8.0    | 1830   | 6100   | 5083-H116    | Mill Finish | 242.014            |
| 10.0   | 1200   | 2400   | 5083-H116    | Mill Finish | 78.048             |
| 10.0   | 1830   | 6100   | 5083-H116    | Mill Finish | 302.517            |
| 12.0   | 1200   | 2400   | 5083-H116    | Mill Finish | 93.658             |
| 12.0   | 1830   | 6100   | 5083-H116    | Mill Finish | 363.021            |
| 16.0   | 1200   | 2400   | 5083-H116    | Mill Finish | 124.877            |
| 16.0   | 1830   | 6100   | 5083-H116    | Mill Finish | 484.028            |
| 20.0   | 1200   | 2400   | 5083-H116    | Mill Finish | 156.096            |
| 20.0   | 1830   | 6100   | 5083-H116    | Mill Finish | 605.035            |
| 25.0   | 1200   | 2400   | 5083-H116    | Mill Finish | 195.12             |
| 25.0   | 1830   | 6100   | 5083-H116    | Mill Finish | 756.293            |
| 32.0   | 1200   | 2400   | 5083-H116    | Mill Finish | 249.754            |

Aluminium sheets and plates are manufactured to suit the requirements of distributors, stockists, and selected end users.

## Sheet & Plate – SA & PAL *(continued)*



Sheets and plates\*  
available in blue and  
100 micron laser film.

\*Sheets have thickness  
of 5mm & less.


Plate have thickness of  
6mm & more.

### Grade 6061

| T (mm) | W (mm) | L (mm) | Alloy-Temper | Finish      | Nominal Mass/Piece |
|--------|--------|--------|--------------|-------------|--------------------|
| 6.0    | 1200   | 2400   | 6061         | Mill Finish | 46.829             |
| 8.0    | 1200   | 2400   | 6061         | Mill Finish | 62.438             |
| 10.0   | 1200   | 2400   | 6061         | Mill Finish | 78.048             |
| 12.0   | 1200   | 2400   | 6061         | Mill Finish | 93.658             |
| 16.0   | 1200   | 2400   | 6061         | Mill Finish | 124.877            |
| 20.0   | 1200   | 2400   | 6061         | Mill Finish | 156.096            |
| 25.0   | 1200   | 2400   | 6061         | Mill Finish | 195.12             |
| 32.0   | 1200   | 2400   | 6061         | Mill Finish | 249.754            |
| 40.0   | 1200   | 2400   | 6061         | Mill Finish | 312.192            |
| 50.8   | 1200   | 2400   | 6061         | Mill Finish | 396.484            |
| 65.0   | 1200   | 2400   | 6061         | Mill Finish | 507.312            |
| 80.0   | 1200   | 2400   | 6061         | Mill Finish | 624.384            |
| 101.6  | 1200   | 2400   | 6061         | Mill Finish | 792.968            |

Aluminium sheet and plate products are manufactured to suit the requirements of distributors, stockists, and selected end users.

## Coil – CAU



### Grade 3003/5005/5052


| A mm | B mm | L (mm) | Alloy-Temper | Finish      | Nominal Mass/Piece |
|------|------|--------|--------------|-------------|--------------------|
| 0.45 | 600  |        | 3003-H32     | Mill Finish |                    |
| 0.7  | 1200 |        | 5005-H34     | Mill Finish |                    |
| 0.9  | 2450 |        | 300-/H16     | Mill Finish |                    |
| 0.9  | 1200 |        | 5005-H32     | Mill Finish |                    |
| 0.9  | 1200 |        | 5005-H34     | Mill Finish |                    |
| 1.2  | 1200 |        | 5052-H32     | Mill Finish |                    |
| 1.2  | 2450 |        | 3003-H16     | Mill Finish |                    |
| 1.2  | 1200 |        | 5005-H32     | Mill Finish |                    |
| 1.2  | 1200 |        | 5052-H32     | Mill Finish |                    |
| 1.6  | 1200 |        | 5005-H34     | Mill Finish |                    |
| 1.6  | 1200 |        | 5052-H32     | Mill Finish |                    |
| 1.6  | 1200 |        | 5005-H34     | Mill Finish |                    |
| 1.6  | 1200 |        | 5052-H32     | Mill Finish |                    |
| 2.0  | 1200 |        | 5005-H34     | Mill Finish |                    |
| 2.0  | 1200 |        | 5052-H32     | Mill Finish |                    |
| 3.0  | 1232 |        | 5052-H32     | Mill Finish |                    |

### Grade 5052/5005

| A mm | B mm | L (mm) | Alloy/Temper | Finish | Nominal Mass/Piece |
|------|------|--------|--------------|--------|--------------------|
| 0.7  | 1220 |        | 5052-H34     | Stucco |                    |
| 0.9  | 1220 |        | 5005-H34     | Stucco |                    |

Aluminium coil products are manufactured to suit the requirements of distributors, stockists, and selected end users.

## Treadplate – PTA



### Grade 3003 – Propeller Pattern

| T (mm) | W (mm) | L (mm) | Alloy-Temper | Finish                    | Nominal Mass/Piece |
|--------|--------|--------|--------------|---------------------------|--------------------|
| 1.6    | 1200   | 2400   | 3003-H224    | Mill/Bright Polish Finish | 14.423             |
| 3.0    | 1200   | 2400   | 3003-H224    | Mill/Bright Polish Finish | 25.66              |

### Grade 5052

| T (mm) | W (mm) | L (mm) | Alloy-Temper | Finish      | Nominal Mass/Piece |
|--------|--------|--------|--------------|-------------|--------------------|
| 1.6    | 1200   | 2400   | 5052 O-H114  | Mill Finish | 12.488             |
| 2.0    | 1200   | 2400   | 5052 O-H114  | Mill Finish | 15.61              |
| 2.5    | 1200   | 2400   | 5052 O-H114  | Mill Finish | 19.512             |
| 3.0    | 1200   | 2400   | 5052 O-H114  | Mill Finish | 23.414             |
| 3.0    | 1200   | 3000   | 5052 O-H114  | Mill Finish | 29.268             |
| 3.0    | 1200   | 3600   | 5052 O-H114  | Mill Finish | 35.122             |
| 3.0    | 1500   | 3000   | 5052 O-H114  | Mill Finish | 36.585             |
| 3.0    | 1500   | 3600   | 5052 O-H114  | Mill Finish | 43.902             |
| 3.0    | 1500   | 4800   | 5052 O-H114  | Mill Finish | 58.536             |
| 4.0    | 1200   | 2400   | 5052 O-H114  | Mill Finish | 31.219             |
| 5.0    | 1200   | 2400   | 5052 O-H114  | Mill Finish | 39.024             |
| 5.0    | 1500   | 6100   | 5052-H224    | Mill Finish | 123.983            |
| 5.0    | 1830   | 6100   | 5052-H224    | Mill Finish | 151.259            |
| 6.0    | 1200   | 2400   | 5052 O-H114  | Mill Finish | 46.829             |
| 6.0    | 1830   | 6100   | 5052-H224    | Mill Finish | 182.493            |

Aluminium treadplates are manufactured to suit the requirements of distributors, stockists, and selected end users.