

05/

Transport

Transport

39

Transport

UA 1398

Easydek Coaming Rail

Kg/m: 1.243

P: 250

OAD: 63 x 33.5

Fits: 1399

UA 1399

Easydek Flooring

Kg/m: 1.621

P: 581

OAD: 179.5 x 28.5


UA 3493 (MR)

Decking

Kg/m: 1.667

P: 491

OAD: 130 x 66.5



OAD = Overall Dimension

ID = Internal Dimensions

P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.

Contact your local
branch to enquire.

*Diagrams are schematic
only and not intended as
specification drawings.*

Transport *(continued)*

UA 1397
Easydek Side Cap
Kg/m: 0.521
P: 169
OAD: 45 x 22


UA 1405 (MR)
Hollow Plank
Kg/m: 1.409
P: 268
OAD: 93 x 25.5

UA 4626 (MR)
Grate Punched
Kg/m: 2.788
P: 840
OAD: 228.6 x 26


UA 6567 (MR)
Side Rail
Kg/m: 0.860
P: 163
OAD: 75 x 15

UA 661 I (MR)
Decking
Kg/m: 1.971
P: 611
OAD: 229.2 x 26

UA 4626 (MR)



UA 6611 (MR)



UA 1405 (MR)



UA 1397



UA 6567 (MR)



OAD = Overall Dimension
ID = Internal Dimensions
P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.

Contact your local
branch to enquire.

*Diagrams are schematic
only and not intended as
specification drawings.*

Transport *(continued)*

UA 1510 (MR)

Scallop Plank

Kg/m: 1.409

P: 421

OAD: 190.5 x 9.53

UA 5183

Side Board

Kg/m: 2.461

P: 732

OAD: 250 x 33

UA 1402

Plank

Kg/m: 2.060

P: 678

OAD: 226 x 22

UA 1403

Plank

Kg/m: 1.530

P: 572

OAD: 229.5 x 12.5

UA 1494

Tray Side Cap

Kg/m: 1.202

P: 287

OAD: 34.93 x 63.5


UA 5183

UA 1402

UA 1403

UA 1494

UA 1510 (MR)



OAD = Overall Dimension
ID = Internal Dimensions
P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.

Contact your local
branch to enquire.

*Diagrams are schematic
only and not intended as
specification drawings.*

Transport *(continued)*

UA 1396
Cant Rail
Kg/m: 1.966
P: 558
OAD: 152.5 x 79.4
Cast Corner UC: 1396


UA 2741 (MR)
Cant Rail
Kg/m: 1.806
P: 451
OAD: 106 x 106

UA 1573
Roller Glide Channel
Kg/m: 0.273
P: 148
OAD: 25 x 25


UA 1509
Cant with Drip Rail
Kg/m: 2.401
P: 646
OAD: 153.97 x 136.62

UA 1404
Roller Shutter
Kg/m: 0.394
P: 162
OAD: 58.85 x 11.3

UA 6784
P-Section
Kg/m: 1.062
P: 169
OAD: 60 x 30



Plastic Roller Door Glide
Code: XTRAROLLDOORGL+0100



Fits 1404
Each end of every second shutter
Minimum inside radius bend of 150mm

OAD = Overall Dimension
ID = Internal Dimensions
P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.

**Contact your local
branch to enquire.**

*Diagrams are schematic
only and not intended as
specification drawings.*

Transport *(continued)*

UA 5006

Coaming Rail

Kg/m: 7.173

P: 914

OAD: 215.9 x 119.4



UA 5275

Sub Frame

Kg/m: 13.851

P: 807

OAD: 232.6 x 152.4



OAD = Overall Dimension
ID = Internal Dimensions
P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.

Contact your local
branch to enquire.


*Diagrams are schematic
only and not intended as
specification drawings.*

Transport *(continued)*

UA 4394 (MR)
Chassis Runner Cap
Kg/m: 4.599
P: 349
OAD: 90 x 50

UA 4395 (MR)
Chassis Runner
Kg/m: 6.132
P: 473
OAD: 130 x 110

UA4711 (MR)
Top Hat
Kg/m: 1.389
P: 366
OAD: 140 x 34.9



OAD = Overall Dimension
ID = Internal Dimensions
P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.

Contact your local
branch to enquire.

*Diagrams are schematic
only and not intended as
specification drawings.*

Transport *(continued)*

UA 5814 (MR)

Tipper Sub Frame

Kg/m: 9.596

P: 555

OAD: 179 x 106


UA 6892 (MR)

Channel

Kg/m: 3.777

P: 544

OAD: 100 x 75



OAD = Overall Dimension
ID = Internal Dimensions
P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.

Contact your local
branch to enquire.

*Diagrams are schematic
only and not intended as
specification drawings.*