

Contents

Welded Pipe32

Seamless Pipe34

Pipe Dimensions36

Welded Pipe

Grades: 304L, 316L

Schedule: 10S, 40S

Unit of Supply: 6.0 – 6.1 metre lengths

Certification: Acc. to ASTM A312M

Dimensions: Acc. to ASTM B36.19M-2004


HPSW

Product Code	Grade	Schedule	Product Size (mm)	Description	kg/m
G304L 10S					
HPSW015NBS10G304L+0610	G304L	10S	015NB SCH10 (1/2")	WELDED PIPE A312 G304L	1.00
HPSW020NBS10G304L+0610	G304L	10S	020NB SCH10 (3/4")	WELDED PIPE A312 G304L	1.30
HPSW025NBS10G304L+0610	G304L	10S	025NB SCH10 (1")	WELDED PIPE A312 G304L	2.09
HPSW032NBS10G304L+0610	G304L	10S	032NB SCH10 (1-1/4")	WELDED PIPE A312 G304L	2.73
HPSW040NBS10G304L+0610	G304L	10S	040NB SCH10 (1-1/2")	WELDED PIPE A312 G304L	3.15
HPSW050NBS10G304L+0610	G304L	10S	050NB SCH10 (2")	WELDED PIPE A312 G304L	3.98
HPSW065NBS10G304L+0610	G304L	10S	065NB SCH10 (2-1/2")	WELDED PIPE A312 G304L	5.33
HPSW080NBS10G304L+0610	G304L	10S	080NB SCH10 (3")	WELDED PIPE A312 G304L	6.54
HPSW090NBS10G304L+0610	G304L	10S	090NB SCH10 (3-1/2")	WELDED PIPE A312 G304L	7.40
HPSW100NBS10G304L+0610	G304L	10S	100NB SCH10 (4")	WELDED PIPE A312 G304L	8.47
HPSW125NBS10G304L+0610	G304L	10S	125NB SCH10 (5")	WELDED PIPE A312 G304L	11.56
HPSW150NBS10G304L+0610	G304L	10S	150NB SCH10 (6")	WELDED PIPE A312 G304L	14.00
HPSW200NBS10G304L+0610	G304L	10S	200NB SCH10 (8")	WELDED PIPE A312 G304L	20.22
HPSW250NBS10G304L+0610	G304L	10S	250NB SCH10 (10")	WELDED PIPE A312 G304L	28.12
HPSW300NBS10G304L+0610	G304L	10S	300NB SCH10 (12")	WELDED PIPE A312 G304L	36.50
HPSW350NBS10G304L+0610	G304L	10S	350NB SCH10 (14")	WELDED PIPE A312 G304L	42.00
HPSW400NBS10G304L+0610	G304L	10S	400NB SCH10 (16")	WELDED PIPE A312 G304L	48.10
HPSW500NBS10G304L+0610	G304L	10S	500NB SCH10 (18")	WELDED PIPE A312 G304L	78.56
HPSW600NBS10G304L+0610	G304L	10S	600NB SCH10 (16")	WELDED PIPE A312 G304L	94.53

G316L 10S

HPSW008NBS10G316L+0610	G316L	10S	008NB SCH10 (1/4")	WELDED PIPE A312 G316L	0.50
HPSW010NBS10G316L+0610	G316L	10S	010NB SCH10 (3/8")	WELDED PIPE A312 G316L	0.64
HPSW015NBS10G316L+0610	G316L	10S	015NB SCH10 (1/2")	WELDED PIPE A312 G316L	1.01
HPSW020NBS10G316L+0610	G316L	10S	020NB SCH10 (3/4")	WELDED PIPE A312 G316L	1.28
HPSW025NBS10G316L+0610	G316L	10S	025NB SCH10 (1")	WELDED PIPE A312 G316L	2.12
HPSW032NBS10G316L+0610	G316L	10S	032NB SCH10 (1-1/4")	WELDED PIPE A312 G316L	2.73
HPSW040NBS10G316L+0610	G316L	10S	040NB SCH10 (1-1/2")	WELDED PIPE A312 G316L	3.15
HPSW050NBS10G316L+0610	G316L	10S	050NB SCH10 (2")	WELDED PIPE A312 G316L	3.99
HPSW065NBS10G316L+0610	G316L	10S	065NB SCH10 (2-1/2")	WELDED PIPE A312 G316L	5.25
HPSW080NBS10G316L+0610	G316L	10S	080NB SCH10 (3")	WELDED PIPE A312 G316L	6.54
HPSW090NBS10G316L+0610	G316L	10S	090NB SCH10 (3-1/2")	WELDED PIPE A312 G316L	7.40
HPSW100NBS10G316L+0610	G316L	10S	100NB SCH10 (4")	WELDED PIPE A312 G316L	8.47
HPSW125NBS10G316L+0610	G316L	10S	125NB SCH10 (5")	WELDED PIPE A312 G316L	11.56
HPSW150NBS10G316L+0610	G316L	10S	150NB SCH10 (6")	WELDED PIPE A312 G316L	14.00
HPSW200NBS10G316L+0610	G316L	10S	200NB SCH10 (8")	WELDED PIPE A312 G316L	20.22
HPSW250NBS10G316L+0610	G316L	10S	250NB SCH10 (10")	WELDED PIPE A312 G316L	28.12
HPSW300NBS10G316L+0610	G316L	10S	300NB SCH10 (12")	WELDED PIPE A312 G316L	36.50
HPSW350NBS10G316L+0610	G316L	10S	350NB SCH10 (14")	WELDED PIPE A312 G316L	42.00
HPSW400NBS10G316L+0610	G316L	10S	400NB SCH10 (16")	WELDED PIPE A312 G316L	48.10
HPSW450NBS10G316L+0610	G316L	10S	450NB SCH10 (18")	WELDED PIPE A312 G316L	54.20
HPSW500NBS10G316L+0610	G316L	10S	500NB SCH10 (20")	WELDED PIPE A312 G316L	69.70
HPSW600NBS10G316L+0610	G316L	10S	600NB SCH10 (24")	WELDED PIPE A312 G316L	95.90

Other grades and sizes available on request ex. mill stock or production

Welded Pipe

Grades: 304L, 316L

Schedule: 10S, 40S

Unit of Supply: 6.0 – 6.1 metre lengths

Certification: Acc. to ASTM A312M

Dimensions: Acc. to ASTM B36.19M-2004


HPSW

Product Code	Grade	Schedule	Product Size (mm)	Description	kg/m
G304L 40S					
HPSW008NBS40G304L+0610	G304L	40S	008NB SCH40 (1/4")	WELDED PIPE A312 G304L	0.63
HPSW015NBS40G304L+0610	G304L	40S	015NB SCH40 (1/2")	WELDED PIPE A312 G304L	1.27
HPSW020NBS40G304L+0610	G304L	40S	020NB SCH40 (3/4")	WELDED PIPE A312 G304L	1.71
HPSW025NBS40G304L+0610	G304L	40S	025NB SCH40 (1")	WELDED PIPE A312 G304L	2.50
HPSW032NBS40G304L+0610	G304L	40S	032NB SCH40 (1-1/4")	WELDED PIPE A312 G304L	3.43
HPSW040NBS40G304L+0610	G304L	40S	040NB SCH40 (1-1/2")	WELDED PIPE A312 G304L	3.15
HPSW050NBS40G304L+0610	G304L	40S	050NB SCH40 (2")	WELDED PIPE A312 G304L	5.51
HPSW065NBS40G304L+0610	G304L	40S	065NB SCH40 (2-1/2")	WELDED PIPE A312 G304L	8.74
HPSW080NBS40G304L+0610	G304L	40S	080NB SCH40 (3")	WELDED PIPE A312 G304L	11.43
HPSW090NBS40G304L+0610	G304L	40S	090NB SCH40 (3-1/2")	WELDED PIPE A312 G304L	13.74
HPSW100NBS40G304L+0610	G304L	40S	100NB SCH40 (4")	WELDED PIPE A312 G304L	16.28
HPSW125NBS40G304L+0610	G304L	40S	125NB SCH40 (5")	WELDED PIPE A312 G304L	22.04
HPSW150NBS40G304L+0610	G304L	40S	150NB SCH40 (6")	WELDED PIPE A312 G304L	28.62
HPSW200NBS40G304L+0610	G304L	40S	200NB SCH40 (8")	WELDED PIPE A312 G304L	43.08
HPSW250NBS40G304L+0610	G304L	40S	250NB SCH40 (10")	WELDED PIPE A312 G304L	61.05
HPSW300NBS40G304L+0610	G304L	40S	300NB SCH40 (12")	WELDED PIPE A312 G304L	74.90
G316L 40S					
HPSW008NBS40G316L+0610	G316L	40S	008NB SCH40 (1/4")	WELDED PIPE A312 G316L	0.64
HPSW010NBS40G316L+0610	G316L	40S	010NB SCH40 (3/8")	WELDED PIPE A312 G316L	0.86
HPSW015NBS40G316L+0610	G316L	40S	015NB SCH40 (1/2")	WELDED PIPE A312 G316L	1.29
HPSW020NBS40G316L+0610	G316L	40S	020NB SCH40 (3/4")	WELDED PIPE A312 G316L	1.71
HPSW025NBS40G316L+0610	G316L	40S	025NB SCH40 (1")	WELDED PIPE A312 G316L	2.53
HPSW032NBS40G316L+0610	G316L	40S	032NB SCH40 (1-1/4")	WELDED PIPE A312 G316L	3.43
HPSW040NBS40G316L+0610	G316L	40S	040NB SCH40 (1-1/2")	WELDED PIPE A312 G316L	4.10
HPSW050NBS40G316L+0610	G316L	40S	050NB SCH40 (2")	WELDED PIPE A312 G316L	5.51
HPSW065NBS40G316L+0610	G316L	40S	065NB SCH40 (2-1/2")	WELDED PIPE A312 G316L	8.74
HPSW080NBS40G316L+0610	G316L	40S	080NB SCH40 (3")	WELDED PIPE A312 G316L	11.43
HPSW090NBS40G316L+0610	G316L	40S	090NB SCH40 (3-1/2")	WELDED PIPE A312 G316L	13.74
HPSW100NBS40G316L+0610	G316L	40S	100NB SCH40 (4")	WELDED PIPE A312 G316L	16.28
HPSW125NBS40G316L+0610	G316L	40S	125NB SCH40 (5")	WELDED PIPE A312 G316L	22.04
HPSW150NBS40G316L+0610	G316L	40S	150NB SCH40 (6")	WELDED PIPE A312 G316L	28.62
HPSW200NBS40G316L+0610	G316L	40S	200NB SCH40 (8")	WELDED PIPE A312 G316L	43.08
HPSW250NBS40G316L+0610	G316L	40S	250NB SCH40 (10")	WELDED PIPE A312 G316L	61.05
HPSW300NBS40G316L+0610	G316L	40S	300NB SCH40 (12")	WELDED PIPE A312 G316L	74.90

Other grades and sizes available on request ex. mill stock or production

Seamless Pipe

Types: HF and CF stainless steel pipe
Grades: G304L, G316L, G2205, G253MA
Schedule: 10S, 40S, 80S
Unit of Supply: Cut to Length

Certification: Acc. to ASTM A312M-08A, A790M-10, ASTM B677, ASTM B668 and A999M-04
Dimensions: Acc. to ASTM B36.19M-2004



HPSS

Product Code	Grade	Schedule	Product Size (mm)	Description	kg/m
G316L 10S					
HPSS025NBS10G316L+0100	G316L	10S	025NB SCH10 (1")	SEAMLESS PIPE A312 G316L	2.10
HPSS032NBS10G316L+0100	G316L	10S	032NB SCH10 (1-1/4")	SEAMLESS PIPE A312 G316L	2.70
HPSS040NBS10G316L+0100	G316L	10S	040NB SCH10 (1-1/2")	SEAMLESS PIPE A312 G316L	3.10
HPSS050NBS10G316L+0100	G316L	10S	050NB SCH10 (2")	SEAMLESS PIPE A312 G316L	3.90
HPSS065NBS10G316L+0100	G316L	10S	065NB SCH10 (2-1/2")	SEAMLESS PIPE A312 G316L	3.90
HPSS080NBS10G316L+0100	G316L	10S	080NB SCH10 (3")	SEAMLESS PIPE A312 G316L	6.56
HPSS100NBS10G316L+0100	G316L	10S	100NB SCH10 (4")	SEAMLESS PIPE A312 G316L	3.90
G316L 40S					
HPSS010NBS40G316L+0100	G316L	40S	010NB SCH40 (3/8")	SEAMLESS PIPE A312 G316L	0.83
HPSS015NBS40G316L+0100	G316L	40S	015NB SCH40 (1/2")	SEAMLESS PIPE A312 G316L	1.29
HPSS020NBS40G316L+0100	G316L	40S	020NB SCH40 (3/4")	SEAMLESS PIPE A312 G316L	1.62
HPSS025NBS40G316L+0100	G316L	40S	025NB SCH40 (1")	SEAMLESS PIPE A312 G316L	2.57
HPSS032NBS40G316L+0100	G316L	40S	032NB SCH40 (1-1/4")	SEAMLESS PIPE A312 G316L	3.50
HPSS040NBS40G316L+0100	G316L	40S	040NB SCH40 (1-1/2")	SEAMLESS PIPE A312 G316L	4.18
HPSS050NBS40G316L+0100	G316L	40S	050NB SCH40 (2")	SEAMLESS PIPE A312 G316L	5.64
HPSS065NBS40G316L+0100	G316L	40S	065NB SCH40 (2-1/2")	SEAMLESS PIPE A312 G316L	8.96
HPSS080NBS40G316L+0100	G316L	40S	080NB SCH40 (3")	SEAMLESS PIPE A312 G316L	11.59
HPSS090NBS40G316L+0100	G316L	40S	090NB SCH40 (3-1/2")	SEAMLESS PIPE A312 G316L	13.92
HPSS100NBS40G316L+0100	G316L	40S	100NB SCH40 (4")	SEAMLESS PIPE A312 G316L	16.61
HPSS150NBS40G316L+0100	G316L	40S	150NB SCH40 (6")	SEAMLESS PIPE A312 G316L	28.73
HPSS200NBS40G316L+0100	G316L	40S	200NB SCH40 (8")	SEAMLESS PIPE A312 G316L	43.14
G316L 80S					
HPSS008NBS80G316L+0100	G316L	80S	008NB SCH80 (1/4")	SEAMLESS PIPE A312 G316L	0.80
HPSS015NBS80G316L+0100	G316L	80S	015NB SCH80 (1/2")	SEAMLESS PIPE A312 G316L	1.97
HPSS020NBS80G316L+0100	G316L	80S	020NB SCH80 (3/4")	SEAMLESS PIPE A312 G316L	2.11
HPSS025NBS80G316L+0100	G316L	80S	025NB SCH80 (1")	SEAMLESS PIPE A312 G316L	3.26
HPSS032NBS80G316L+0100	G316L	80S	032NB SCH80 (1-1/4")	SEAMLESS PIPE A312 G316L	4.65
HPSS040NBS80G316L+0100	G316L	80S	040NB SCH80 (1-1/2")	SEAMLESS PIPE A312 G316L	5.64
HPSS050NBS80G316L+0100	G316L	80S	050NB SCH80 (2")	SEAMLESS PIPE A312 G316L	7.68
HPSS065NBS80G316L+0100	G316L	80S	065NB SCH80 (2-1/2")	SEAMLESS PIPE A312 G316L	11.96
HPSS080NBS80G316L+0100	G316L	80S	080NB SCH80 (3")	SEAMLESS PIPE A312 G316L	15.67
HPSS090NBS80G316L+0100	G316L	80S	090NB SCH80 (3-1/2")	SEAMLESS PIPE A312 G316L	19.11
HPSS100NBS80G316L+0100	G316L	80S	100NB SCH80 (4")	SEAMLESS PIPE A312 G316L	22.90
HPSS125NBS80G316L+0100	G316L	80S	125NB SCH80 (5")	SEAMLESS PIPE A312 G316L	31.87
HPSS150NBS80G316L+0100	G316L	80S	150NB SCH80 (6")	SEAMLESS PIPE A312 G316L	43.78
HPSS200NBS80G316L+0100	G316L	80S	200NB SCH80 (8")	SEAMLESS PIPE A312 G316L	66.45
G304L 80S					
HPSS032NBS80G304L+0100	G304L	80S	032NB SCH80 (1-1/4")	SEAMLESS PIPE A312 G304L	4.47
HPSS040NBS80G304L+0100	G304L	80S	040NB SCH80 (1-1/2")	SEAMLESS PIPE A312 G304L	5.41
HPSS050NBS80G304L+0100	G304L	80S	050NB SCH80 (2")	SEAMLESS PIPE A312 G304L	7.48

Other grades and sizes available on request ex. mill stock or production

Seamless Pipe

Types: HF and CF stainless steel pipe
Grades: G304L, G316L, G2205, G253MA
Schedule: 10S, 40S, 80S
Unit of Supply: Cut to Length

Certification: Acc. to ASTM A312M-08A, A790M-10, ASTM B677, ASTM B668 and A999M-04

Dimensions: Acc. to ASTM B36.19M-2004



HPSS

Product Code	Grade	Schedule	Product Size (mm)	Description	kg/m
G2205 10S					
HPSS020NBS10G2205+0100	G2205	10S	020NB SCH10 (3/4")	SEAMLESS PIPE A790 G2205	1.27
HPSS025NBS10G2205+0100	G2205	10S	025NB SCH10 (1")	SEAMLESS PIPE A790 G2205	2.14
HPSS032NBS10G2205+0100	G2205	10S	032NB SCH10 (1-1/4")	SEAMLESS PIPE A790 G2205	2.76
HPSS040NBS10G2205+0100	G2205	10S	040NB SCH10 (1-1/2")	SEAMLESS PIPE A790 G2205	3.32
HPSS050NBS10G2205+0100	G2205	10S	050NB SCH10 (2")	SEAMLESS PIPE A790 G2205	4.05
HPSS065NBS10G2205+0100	G2205	10S	065NB SCH10 (2-1/2")	SEAMLESS PIPE A790 G2205	5.37
HPSS080NBS10G2205+0100	G2205	10S	080NB SCH10 (3")	SEAMLESS PIPE A790 G2205	6.76
HPSS100NBS10G2205+0100	G2205	10S	100NB SCH10 (4")	SEAMLESS PIPE A790 G2205	16.39
G2205 40S					
HPSS015NBS40G2205+0100	G2205	40S	015NB SCH40 (1/2")	SEAMLESS PIPE A790 G2205	1.26
HPSS020NBS40G2205+0100	G2205	40S	020NB SCH40 (3/4")	SEAMLESS PIPE A790 G2205	1.68
HPSS025NBS40G2205+0100	G2205	40S	025NB SCH40 (1")	SEAMLESS PIPE A790 G2205	2.00
HPSS040NBS40G2205+0100	G2205	40S	040NB SCH40 (1-1/2")	SEAMLESS PIPE A790 G2205	4.10
HPSS050NBS40G2205+0100	G2205	40S	050NB SCH40 (2")	SEAMLESS PIPE A790 G2205	5.55
HPSS065NBS40G2205+0100	G2205	40S	065NB SCH40 (2-1/2")	SEAMLESS PIPE A790 G2205	8.80
HPSS080NBS40G2205+0100	G2205	40S	080NB SCH40 (3")	SEAMLESS PIPE A790 G2205	11.52
HPSS100NBS40G2205+0100	G2205	40S	100NB SCH40 (4")	SEAMLESS PIPE A790 G2205	16.39
G2205 80S					
HPSS015NBS80G2205+0100	G2205	80S	015NB SCH80 (1/2")	SEAMLESS PIPE A790 G2205	1.61
HPSS020NBS80G2205+0100	G2205	80S	020NB SCH80 (3/4")	SEAMLESS PIPE A790 G2205	2.19
HPSS025NBS80G2205+0100	G2205	80S	025NB SCH80 (1")	SEAMLESS PIPE A790 G2205	2.00
HPSS040NBS80G2205+0100	G2205	80S	040NB SCH80 (1-1/2")	SEAMLESS PIPE A790 G2205	5.54
HPSS050NBS80G2205+0100	G2205	80S	050NB SCH80 (2")	SEAMLESS PIPE A790 G2205	7.62
HPSS080NBS80G2205+0100	G2205	80S	080NB SCH80 (3")	SEAMLESS PIPE A790 G2205	15.56
HPSS100NBS80G2205+0100	G2205	80S	100NB SCH80 (4")	SEAMLESS PIPE A790 G2205	22.73
G253MA 40S					
HPSS015NBS40G253MA+0100	G253MA	40S	015NB SCH40 (1/2")	SEAMLESS PIPE A312 G253MA	1.20
HPSS020NBS40G253MA+0100	G253MA	40S	020NB SCH40 (3/4")	SEAMLESS PIPE A312 G253MA	1.71
HPSS025NBS40G253MA+0100	G253MA	40S	025NB SCH40 (1")	SEAMLESS PIPE A312 G253MA	2.52
HPSS032NBS40G253MA+0100	G253MA	40S	032NB SCH40 (1-1/4")	SEAMLESS PIPE A312 G253MA	3.43
HPSS040NBS40G253MA+0100	G253MA	40S	040NB SCH40 (1-1/2")	SEAMLESS PIPE A312 G253MA	4.09
HPSS050NBS40G253MA+0100	G253MA	40S	050NB SCH40 (2")	SEAMLESS PIPE A312 G253MA	5.54
HPSS065NBS40G253MA+0100	G253MA	40S	065NB SCH40 (2-1/2")	SEAMLESS PIPE A312 G253MA	8.78
HPSS080NBS40G253MA+0100	G253MA	40S	080NB SCH40 (3")	SEAMLESS PIPE A312 G253MA	11.47
HPSS100NBS40G253MA+0100	G253MA	40S	100NB SCH40 (4")	SEAMLESS PIPE A312 G253MA	16.33
HPSS150NBS40G253MA+0100	G253MA	40S	150NB SCH40 (6")	SEAMLESS PIPE A312 G253MA	28.77

Other grades and sizes available on request ex. mill stock or production

Pipe Dimensions

Nominal Pipe Size NB (mm) NPS (inch)		Outside Diameter (mm)	Nominal wall thickness (mm)																
			ASTM B36.10 ASTM B36.19																
			Sch 5S	Sch 10S	Sch 10	Sch 20	Sch 30	Sch 40S	STD	Sch 40	Sch 60	Sch 80S	XS	Sch 80	Sch 100	Sch 120	Sch 140	Sch 160	XXS
6	1/8	10.29						1.7											
8	1/4	13.72		1.65				2.24											
10	3/8	17.15		1.65				2.31											
15	1/2	21.34	1.65	2.11				2.77	2.77	2.77		3.73	3.73	3.73				4.78	7.47
20	3/4	26.67	1.65	2.11				2.87	2.87	2.87		3.91	3.91	3.91				5.56	7.82
25	1	33.40	1.65	2.77				3.38	3.38	3.38		4.55	4.55	4.55				6.35	9.09
32	1 1/4	42.16	1.65	2.77				3.56	3.56	3.56		4.85	4.85	4.85				6.35	9.70
40	1 1/2	48.26	1.65	2.77				3.68	3.68	3.68		5.08	5.08	5.08				7.14	10.15
50	2	60.32	1.65	2.77				3.91	3.91	3.91		5.54	5.54	5.54				8.74	11.07
65	2 1/2	73.03	2.11	3.05				5.16	5.16	5.16		7.01	7.01	7.01				9.52	14.02
80	3	88.90	2.11	3.05				5.49	5.49	5.49		7.62	7.62	7.62				11.13	15.24
90	3 1/2	101.60	2.11	3.05				5.74	5.74	5.74		8.08	8.08	8.08					
100	4	114.30	2.11	3.05				6.02	6.02	6.02		8.56	8.56	8.56		11.13		13.49	17.12
125	5	141.30	2.77	3.40				6.55	6.55	6.55		9.53	9.53	9.53		12.70		15.88	19.05
150	6	168.28	2.77	3.40				7.11	7.11	7.11		10.97	10.97	10.97		14.27		18.26	21.95
200	8	219.08	2.77	3.76		6.35	7.04	8.18	8.18	8.18	10.31	12.70	12.70	12.70	15.09	18.26	20.63	23.01	22.23
250	10	273.05	3.40	4.19		6.35	7.80	9.27	9.27	9.27	12.70	12.70	12.70	15.09	18.26	21.44	25.40	28.58	25.40
300	12	323.85	3.96	4.57		6.35	8.38	9.53	9.53	10.31	14.28	12.70	12.70	17.48	21.44	25.40	28.58	33.32	25.40
350	14	355.60	3.96	4.78	6.35	7.92	9.52		9.53	11.13	15.09		12.70	19.05	23.83	27.79	31.75	35.71	
400	16	406.40	4.19	4.78	6.35	7.92	9.52		9.53	12.70	16.66		12.70	21.44	26.19	30.96	36.53	40.49	
450	18	457.20	4.19	4.78	6.35	7.92	11.12		9.53	14.28	19.05		12.70	23.83	29.36	34.93	39.68	45.24	
500	20	508.00	4.78	5.54	6.35	9.53	12.70		9.53	15.09	20.62		12.70	26.19	32.54	38.10	44.45	50.01	
600	24	609.60	5.54	6.35	6.35	9.53	14.27		9.53	17.48	24.61		12.70	30.96	38.89	46.02	52.37	59.54	
700	28	711.20			7.92	12.70	15.88		9.53				12.70						
750	30	762.80	6.35		7.92	12.70	15.88		9.53				12.70						
800	32	812.80			7.92	12.70	15.88		9.53	17.48			12.70						
900	36	914.40			7.92	12.70	15.88		9.53	19.05			12.70						

Stock range: Stainless steel fittings, flanges and welded pipe 1/4" – 24", Seamless pipe 1/4" – 12".

Dimensions are nominal only – tolerances apply to both OD and WT – refer to the standards for details.