

Transport

UA 1398

Easydek Coaming Rail

Kg/m: 1.243

P: 250

OAD: 63 x 33.5

Fits: 1399

UA 1399

Easydek Flooring

Kg/m: 1.621

P: 581

OAD: 179.5 x 28.5


UA 3493 (MR)

Decking

Kg/m: 1.667

P: 491

OAD: 130 x 66.5



OAD = Overall Dimension
ID = Internal Dimensions
P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.

Contact your local
branch to enquire.

*Diagrams are schematic
only and not intended as
specification drawings.*

Transport *(continued)*

UA 1397
Easydek Side Cap
Kg/m: 0.521
P: 169
OAD: 45 x 22


UA 1405 (MR)
Hollow Plank
Kg/m: 1.409
P: 268
OAD: 93 x 25.5

UA 4626 (MR)
Grate Punched
Kg/m: 2.788
P: 840
OAD: 228.6 x 26

UA 6567 (MR)
Side Rail
Kg/m: 0.860
P: 163
OAD: 75 x 15

UA 661 I (MR)
Decking
Kg/m: 1.971
P: 611
OAD: 229.2 x 26

UA 4626 (MR)



UA 661 I (MR)



UA 1405 (MR)



UA 1397



UA 6567 (MR)



OAD = Overall Dimension
ID = Internal Dimensions
P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.

**Contact your local
branch to enquire.**

*Diagrams are schematic
only and not intended as
specification drawings.*

Transport *(continued)*

UA 1510 (MR)
Scalloped Plank
Kg/m: 1.409
P: 421
OAD: 190.5 x 9.53

UA 5183
Side Board
Kg/m: 2.461
P: 732
OAD: 250 x 33

UA 1402
Plank
Kg/m: 2.060
P: 678
OAD: 226 x 22

UA 1403
Plank
Kg/m: 1.530
P: 572
OAD: 229.5 x 12.5


UA 1494
Tray Side Cap
Kg/m: 1.202
P: 287
OAD: 34.93 x 63.5

UA 5183

UA 1402

UA 1403

UA 1494



OAD = Overall Dimension
ID = Internal Dimensions
P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.

**Contact your local
branch to enquire.**

*Diagrams are schematic
only and not intended as
specification drawings.*

Transport *(continued)*

UA 1396

Cant Rail

Kg/m: 1.966

P: 558

OAD: 152.5 x 79.4

Cast Corner UC: 1396

UA 2741 (MR)

Cant Rail

Kg/m: 1.806

P: 451

OAD: 106 x 106

UA 1573

Roller Glide Channel

Kg/m: 0.273

P: 148

OAD: 25 x 25

UA 1509

Cant with Drip Rail

Kg/m: 2.401

P: 646

OAD: 153.97 x 136.62

UA 1404

Roller Shutter

Kg/m: 0.394

P: 162

OAD: 58.85 x 11.3


UA 6784

P-Section


Kg/m: 1.062

P: 169

OAD: 60 x 30



Plastic Roller Door Glide
Code: XTRAROLLDORGL+0100



Fits 1404
Each end of every second shutter
Minimum inside radius bend of 150mm

OAD = Overall Dimension
ID = Internal Dimensions
P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.



**Contact your local
branch to enquire.**

*Diagrams are schematic
only and not intended as
specification drawings.*

Transport *(continued)*

UA 5006
Coaming Rail
Kg/m: 7.173
P: 914
OAD: 215.9 x 119.4

UA 5275
Sub Frame
Kg/m: 13.851
P: 807
OAD: 232.6 x 152.4



OAD = Overall Dimension
ID = Internal Dimensions
P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.

**Contact your local
branch to enquire.**

*Diagrams are schematic
only and not intended as
specification drawings.*

Transport *(continued)*

UA 4394 (MR)
Chassis Runner Cap
Kg/m: 4.599
P: 349
OAD: 90 x 50

UA 4395 (MR)
Chassis Runner
Kg/m: 6.132
P: 473
OAD: 130 x 110

UA4711 (MR)
Top Hat
Kg/m: 1.389
P: 366
OAD: 140 x 34.9

UA 4394 (MR)

UA 4711 (MR)

UA 4395 (MR)

OAD = Overall Dimension
ID = Internal Dimensions
P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.


**Contact your local
branch to enquire.**

*Diagrams are schematic
only and not intended as
specification drawings.*

Transport *(continued)*

UA 5814 (MR)
Tipper Sub Frame
Kg/m: 9.596
P: 555
OAD: 179 x 106

UA 6892 (MR)
Channel
Kg/m: 3.777
P: 544
OAD: 100 x 75



OAD = Overall Dimension
ID = Internal Dimensions
P = Ext Periphery

**Blue = Mill run only.
Non stocked item.**

Minimum order 250kg.

**Contact your local
branch to enquire.**

*Diagrams are schematic
only and not intended as
specification drawings.*